

## **Note:**

Please confirm your interest to participate in this tender through email to [Contract@abrajenergy.com](mailto:Contract@abrajenergy.com) and to submit the EOI & confidentiality declaration forms to be duly filled and send to us for our records **within 3 days of receiving this invitation.**

**You will receive a link to submit your proposal through SAP Ariba System**

The submission deadline is **as per SAP Ariba System**



## **Tender Document**

**Tender No.** JTC.241230.OPS.8000431

**Tender Title:** Rate Agreement for Supply of WOM Spares

Contents
----------

1. INVITATION TO TENDER.....	4
2. INSTRUCTIONS TO BIDDERS.....	5
3. ABRAJ STANDARD TERMS & CONDITIONS .....	13
FORM OF TENDER .....	14
Annexure- 01 Scope of Work .....	16
Annexure - 02 Expression of Interest .....	107
Annexure – 03 Interest to Participate in Tender and Confidentiality Declaration for Tender.....	108
Annexure – 04 Declaration to Comply with Company Requirement .....	111
Annexure – 05 Form of Tender Bond.....	112
Annexure – 06 Form of Performance Bond.....	113
Annexure – 07 Form of Advance Payment Bond.....	115
Annexure – 08 In Country Value (ICV) .....	116
Annexure – 09 Clarification Request.....	119
Annexure – 10 Pricing Schedule .....	120
Annexure - 11 Tender Strategy for Evaluation of bid .....	121
Annexure – 12 Standard Terms and Conditions .....	123
Annexure - 13 In Country Value .....	123

**1. INVITATION TO TENDER**

Abraj Energy Services SAOC “the Company” invites ‘Bidder’ to Tender for the Work or Services in accordance with the terms and conditions set down in the Tender Documents. If you are a successful Bidder you shall be required to enter into a Contract in accordance with the Form of Agreement.

JTC.241230.OPS.8000431 Rate Agreement for Supply of WOM Spares

There should be no indications or markings on envelopes or the parcel, which may reveal the identity of the Bidder except Tender No and Title. The parcel should be delivered on the date and time as specified in the advertised invitation of this Tender and should be addressed to:

**Abraj Energy Services (SAOC)**  
Al-Mawaleh, PO Box 1156, PC 130, Azaiba,  
**Sultanate of Oman**

Abraj Energy Services SAOC is not bound to accept the lowest Tender or award the full Bidder scope of work and reserves the right to reject any or all Tenders without assigning any reason

## 2. INSTRUCTIONS TO BIDDERS

### 2.1 General

Bidders must notify the Company immediately if they find discrepancies omissions or ambiguities in the description of the services or specifications of goods.

Bidders should note the restrictions set out in the Contract regarding the subcontracting and assignment of any part of the Contract to other companies.

Bidders should also note those terms peculiar to the conducting of services in the Sultanate of Oman, including the requirements set out in the Contract for use of Omani supplies, equipment, machinery, consumables, Omani workers and subcontractors, and the importation of materials, equipment and consumables.

By submitting a Tender, the Bidder is deemed to have made the necessary allowances in the Tender Price for adhering to all laws, rules, regulations, Policies, and procedures applicable in the Sultanate of Oman.

Clarification Requests: All questions or communications regarding this Invitation to tender shall be directed by e-mail to [Contract@abrajenergy.com](mailto:Contract@abrajenergy.com) before the clarification closing date.

Any addendums, clarifications or any other correspondence will be issued and sent via e-mail to all Bidder during the tendering period.

The Tender Documents and all Tender submissions are to be made in the English language.

### 2.2 Expression of Interest

The bidder will confirm the Express of Interest (EOI) for the Tender as per Annexure-02 and provide the documents as per following:

To register your interest please complete the forms listed below duly signed by authorized signatory and submitted within three (3) days of reviewing the Invitation to Tender (ITT) to:

[Contract@abrajenergy.com](mailto:Contract@abrajenergy.com)

**1. Annexure-03 Interest to Participate in Tender and Confidentiality Declaration (Form #AES-03) 2. Annexure-04 Declaration to Comply with Company Requirement (Form # AES-04)**

### 2.3 Confidentiality

All recipients of tender documents (whether they submit Tenders or not) shall treat the details of the documents as private and confidential.

During the tender period, the Bidder shall not communicate with anyone related to or deemed to be related to the owner or custodian of the project unless expressly so directed by the Abraj Contract department or where such communication shall constitute an enquiry as set down in these instructions.

## 2.4 Clarification Requests

All Clarification Requests regarding this Tender shall be submitted by Bidder in the format as included in Annexure 09.

The request for the extension of Submission Bid will be provided well within 5 days from receipt of the Tender Document and the extension of Bid will be requested in same form of Annexure-09.

Company reserves the right not to entertain any Clarification Request received by Company after the Clarification Request Closing Date stipulated in the Tender schedule.

Addenda to the Tender Documents may be issued prior to the date of delivery of Tenders for the purpose of amending or clarifying the Tender Documents. Should there be any doubt or obscurity as to the meaning of the Tender Documents, or as a request for a site visit, or as to anything to be done under the Contract or concerning these instructions, or any other matter, the Bidder must set forth in writing such doubt or obscurity and deliver the same to Abraj Tender Committee, not later than ten **(10) working days before the date fixed for the submission of Tenders**. If considered appropriate a reply in the form of a Circular Letter or Addendum will be distributed to all Bidders who have obtained the Tender Documents.

Company will endeavor to revert within 2-3 working days from receipt of Clarification submissions as per Tender Schedule below.

## 2.5 Preparation of Bids

The scope of work has been attached herein in Annexure- 01. The technical Bid should be provide to meet the requirement specified in scope of work.

Any bid exceptions must be attached to the bid. Exceptions to the provisions of the contract will not be accepted by Company for review or negotiation after the bid closing time. Exceptions shall be accompanied by complete information on the nature and extent of the proposed exception and the consequent impacts to the prices, schedule or other aspect of the bid.

Bidders will not be compensated for the cost of preparing a bid, including, without limitation, any travel costs, whether successful or unsuccessful and regardless of whether Company chooses not to award the contract.

Bidders are encouraged to provide any additional information helpful to Company in evaluating their bids.

Bidder shall submit their bid in accordance with Tender documents and provide information as per attached Annexures wherever required.

Bidder shall ensure upon receipt that the copy of the Tender Documents has received in complete and inform if they have not received any of mentioned above to Contract Administration on email address [Contract@abrajenergy.com](mailto:Contract@abrajenergy.com) with five (5) days after received of mail.

All copies shall be properly executed, all blank spaces shall be filled in, and any interlineations, alterations, or erasures shall be formally explained and initialed by the Bidder. Failure to comply with these requirements may be cause for rejection of the bid.

Bid may not be considered unless they are in conformity with the Tender Documents. You are specifically advised that evaluation of BID shall include the degree of exceptions taken (if any) to the Body of terms and conditions.

Bidder shall confirm acceptance of the proposed terms and conditions together with any exceptions, clearly shown in the Tender documents. Partial or incomplete BID received after the stated due time may be rejected.

Each Bidder shall give the full legal name, registered number, place of incorporation and registered office address of the Bidder. Where the Bidder operates under any trading name this also shall be stated, as shall be any trading or mailing address if different to the registered office address.

BID shall be written in English and labelled with the name of the part inside.

The Bidders should Submit following documents in the Technical Bid submission:-

- a. Maximum technical information of all the services or equipment covering the Scope of work as per attached Annexure-01.
- b. Specification, brand name, manufacturer name, material detailed, etc. maximum information of each component or part of all equipment or assembly of Equipment.
- c. List of Certificates. If possible, sample of certification.
- d. Country of Origin of Raw Material and Assembly of equipment.
- e. Product drawing or assembly drawing with maximum information.
- f. Part Catalogue or Product catalogue.
- g. Manufacturer experience detailed.
- h. List of Customer to whom you are dealing.
- i. Any other information which can be useful for technical evaluation of scope of work as per attached Annexure- 01
- j. Deviation to our requirement will be marked separately and any change in price will be provided in Commercial BID.
- k. For any additional Item or scope of work should be specified with optional price.
- l. Bidder should provide detailed product specification along with catalogue copy in Technical BID.
- m. All items should be supplied as per latest standard of American Petroleum Institute.
- n. This is general standard of the equipment required in Oil and Gas Industries.
- o. Purchaser should have right to select line item in the bid.

- p. The Technical Tender shall not contain any pricing information.

The Bidders should Submit following documents in the Commercial Bid submission:-

- a. Submit your price for the equipment as per attached Price Schedule Annexure -10. The total price need to be carried to the Form of Tender and complete all blanks applicable in the Appendix of Form of Tender.
- b. Price of each equipment or group of equipment as per scope of supply as per attached Annexure –10.
- c. Provide Delivery period. - Abraj expects to get better delivery and the delivery is one of the criteria of commercial evaluation.
- d. Provide clear delivery term.
- e. Packing charges if any required.
- f. Manufacturer of each item of Equipment or assembly of Equipment.
- g. Country of origin of each item of Equipment or assembly of Equipment.
- h. Provide additional information which can be useful for commercial evaluation of scope of supply as per attached Annexure-01.
- i. Commercial Part shall be submitted with prices and rates in US \$/OMR taking into account the Works to be executed with terms and conditions included herein.
- j. Technical and Contractual Part shall be submitted with the format and content specified hereinafter. No prices shall be indicated in the technical and contractual part.

## **2.6 Visit to the Site (If Required)**

The Bidder must visit the Site and obtain, at his own expense, all information necessary for preparing a Tender. He must carefully examine the Tender Documents and satisfying himself as to the tasks, risks, obligations and responsibilities to be undertaken in the Contract, form and nature of the entire areas in which the Works are to be carried out, the means of access to the Site and in general all other matters which may affect his tender.

Any neglect or failure on the part of the Bidder to obtain reliable information at Site or elsewhere or on any other matters affecting the execution and completion of the Works of this Contract shall not relieve the accepted Bidder from any risks or liabilities or from the responsibilities of completing and handing over the works.

Abraj Energy Services will arrange a guided Site Visit and a notice to this effect will be issued during the tendering period. The Bidder shall contact Contract Administrator/ Contract Engineer through Email regarding the time and date of the guided Site Visit.

Any of the employees, servants or agents of the Bidder will be allowed by Abraj to enter the site and his premises and land for the purposes of inspection and examination strictly on condition that such persons, firms or companies will indemnify the Company and his servants and agents from and against all liability arising out of any personal injury, fatal



or otherwise, loss or damage to property and any other loss directly or indirectly attributable to the said inspection and examination.

## **2.7 Submission of Bids**

The Tender shall be submitted in two part: one comprising a Technical Tender and one containing the Commercial Tender. The Technical Tender shall contain all the required documents requested in the Tender Documents excluding any financial references. The Commercial Tender shall contain all financial documents and information. Bidders who fail to adhere to this requirement will result in the disqualification of their Tender.

The Bid Form together with all information and documentation shall be completed and submitted by email only.

The bidder must affix its initialed company stamp to every page of its original Tender submission which should include all parts of the Tender Documents. The original shall be clearly marked "ORIGINAL"

Bidders not complying with the requirements of the Bid Form and the submission and delivery of the bids may be deemed non-responsive to the Invitation to Tender and their bids may be excluded from further consideration.

The Bidders should submit the bids which should be signed by Authorized person of the company and company may verify if it is required from CEO or Owner of bidder or any other Agencies e.g. Chamber of Commerce. .

No deletions or erasures may be made in the list of prices and the schedule of categories. Any correction in the prices etc. shall be re-written in numbers and words and signed by the authorized person.

The bidder may not delete or modify any clauses or technical specifications irrespective of the nature of such modification.

Any special conditions or modifications shall be sent in or attached with a separate letter kept in the tender envelope. A reference shall be made to this letter in the bid itself. No other alternative shall be acceptable.

The price schedule shall specify whether the item is manufactured in the Sultanate of Oman or abroad. Inaccuracy of the information submitted, partly or fully, shall lead to the rejection of the item without prejudice to the Abraj Tender Committee's right to deprive the bidder of the facility to deal with other tenders of the Company within a period specified by the relevant Abraj Tender Committee (ATC), depending on the situation of each case.

The prices quoted by the bidder in the schedule of categories shall include and cover all the expenses and liabilities, irrespective of their nature, to be incurred or met in respect of each clause and shall also include those involved in the completion, delivery and maintenance if required, of all the works during the period of guarantee and maintenance.

The final calculation shall be done on the basis of these prices irrespective of fluctuations in the market, the customs duty and other duties and taxes.

The bidder shall, in case of the submission of one or more alternative offer, ensure that these offers are clear and detailed and referred to in the list of contents.

If the bidder fails to specify the price of an item required to be supplied in the price list, this shall be considered as abstention from participation in the tender in respect of such item.

The prices specified in words shall be accepted. As an exception, the relevant may accept the offer specified in numbers only in the Company's interest.

A bid based on a reduction in the lowest bid by a specified percentage shall also not be acceptable.

To submit the Commercial bid, the following shall be taken into account:

- a. If the goods are required to be delivered on board the ship, the price given in the bid shall include the price of the items, adding thereto the expenses for mobilization, transportation and loading in accordance with the FOB system.
- b. If the goods are required to be delivered at the port of arrival, the price given in the bid shall include the price of the items, adding thereto the expenses for mobilization, transportation, loading and shipping in accordance with the C & F system.
- c. If the goods are required to be delivered at the port of arrival, the price given in the bid shall include the price of the items, adding thereto the expenses for mobilization, transportation, loading, shipping, insurance and unloading in accordance with the CIF system.
- d. If the goods are required to be delivered at the stores of the purchaser or the work sites, the price given in the bid shall include the price of the items, adding thereto the expenses for mobilization, transportation and loading, the shipment charges, the insurance cost and expenses on unloading, customs duties, internal transportation and other additional charges.
- e. In all cases, the contractor shall bear all the expenses for getting the letter of credit from the Company pertaining to their banker while the Company shall bear the letter of credit opening charges pertaining to its banker in Oman.
- f. The data or information for Commercial Bid submission will be as per attached Annexure-10.

Bidders accept full responsibility for ensuring their bids are delivered or submitted to the correct email address by the specified deadline. Bids submitted to any other address or later than the deadline may not be considered.

Bidders forwarding their bids by courier should advise by email to [Contract@abrajenergy.com](mailto:Contract@abrajenergy.com), when the bid has been sent by courier, naming the courier and tracing number.

Bids received after the final bid submission deadline will be returned unopened to the bidder.

Company expressly reserves the right to extend the bid submission deadline.

## 2.8 Currency of Contract

The currency of the contract will be in Omani Rials (OMR) or US Dollar. In the case of

a tender submitted by an individual or companies abroad, it is permitted to write the prices in foreign currency provided the equivalent Oman currency must be mentioned. Tender in foreign currency without the equivalent Oman currency will be rejected.

## **2.9 Validity of Tenders**

The Bid Proposal shall remain valid and irrevocable for a period of Ninety (90) days from the closing date for the submission of Tenders. Company intends to notify all Bidder of the result of their Tender submission during this period. If Bidder retracts or withdraws its Tender during the period of its validity without receiving authorization from Company, Company may, at its sole discretion, without the need for summons, notice or other legal formalities or exercise any other rights stipulated in the Tender Documents.

In exceptional circumstances, prior to expiry of the original, the procuring agency may request the bidders to extend the period of validity for a specified additional period, which shall not be for more than one third of the original period of bid validity. The request and the responses thereto, shall be made in writing. A bidder may refuse the request without the forfeiture of the bid security. In case, a bidder agreed to the request, shall not be required or permitted to modify the bid, but will be required to extend the validity of the bid security for the period of the extension

## **2.10 Language of Contract**

All correspondence with the Company or the Company' representative shall be in the English Language. Original documents or copies submitted by Tenders, which are not in Arabic or English, should be accompanied by English translation.

## **2.11 No Alterations**

No Alterations to the text of the Tender Documents shall be made except for filling in blanks intended to be filled-in. Failure to fully comply with this instruction may result in the rejection of the Tender.

Any alteration to a unit rate or amount made by the Bidder to correct clerical errors entered by him in the Schedule of Prices and Schedule of Rates during the preparation of the tender must be initialed by the person authorized to sign the Tender prior to the submission of tender.

## **2.12 QHSE Requirements**

The Supplier shall comply with all the HSE requirements of Abraj Energy Services (S.A.O.C). As specified while executing the required supply works. Bidder shall fully describe its HSE record for the last three years. This shall include details of accidents and incidents involving Bidder's personnel and third parties for the activities undertaken by Bidder.

## **2.13 Bidder Registration Requirements**

The successful bidder(s), who are not already registered, will be sent a supplier registration form and will have up to 30 days to register with Abraj Energy Services. The request need to be send to following email address to get the necessary documents required to complete registration process:

Email Address: [Contract@abrajenergy.com](mailto:Contract@abrajenergy.com)

## **2.14 Opening of Tenders**

Both Technical & Financial Offers submitted will be opened at the time and day specified in the advertised invitation to Tender at the offices of Abraj Energy Services. Any Tender received after the time and date fixed for submission of Tenders will be rejected.

## **2.15 Tender Bond**

The Bidder must furnish, as part of his Tender, a Tender Bond in the value of not less than 1% of the Tender Value. If the Bidder submits an alternative Tender, the one percent shall be calculated based on the highest Tender Value. The wording of the Tender Bond shall be as per the prescribed Form of Tender Bond included within the Tender Document. See Annexure-12.

The Tender Bond shall be denominated in Omani currency and shall be obtained from a bank located and registered in the Sultanate of Oman and valid for ninety (90) days from the latest date fixed for the submission of Tenders. Any Tender not accompanied by a Tender Bond will be rejected.

The Tender Bond of unsuccessful Bidders will be returned on its expiration or after the award of the Contract to the successful Bidder.

The Tender Bond will be forfeited:

- i) If a Bidder withdraws his Tender during the period of Tender validity specified in the Tender Documents; or
- ii) In the case of a successful Bidder, if the Bidder fails:
  - a) to sign the Contract; and/or
  - b) To furnish the Performance Bond.

## **2.16 Performance Bond**

For the due performance of the Contract, The Supplier will be required to provide a Performance Bond within (7) calendar days from the date of the Letter of Acceptance to the value of five percent (5%) of the Contract Value, obtained from a Bank registered in the Sultanate of Oman, and valid for the whole of the Contract and Defects Liability Period. The Performance Bond will be retained by the Company during the Contract and Defects Liability Period and will be returned to the Supplier upon the satisfactory completion of the Defects Liability Period. The Performance Bond shall be as per the prescribed "Form of Performance Bond" included in the Tender Document.

## **2.17 Evaluation of Tenders**

After received of Bids, Abraj evaluation Team will conduct evaluation of Bid. Technical and Commercial bids will be evaluated separately by different Evaluation Team. Tender evaluation Strategy of bids will be conducted as per Annexure-11.

**2.18 Award contract**

Abraj reserves the right to reject all of the bids for any reason and not award the Contract to any Bidder.

Abraj reserves the right to award the Contract to a Bidder other than the lowest Bidder and to negotiate any amendment to the terms of the contract with the successful Bidder.

Abraj reserves the right to seek clarification from bidders during the evaluation process.

Bids will be evaluated by Company to determine the best qualified and most competitive.

Bidder taking into consideration all aspects of the bid, including but not limited to:

- a. The bidder's technical ability to perform the job to Company specifications and the suitability of the proposed equipment, tools, goods, processes and programs.
- b. The rates offered.
- c. Bidder's financial integrity, past performance, reputation within the industry.

In the event that Company estimates that the bid price exceeds competitive limits, it may request the bidder to reconsider the bid price with the aim to lower the price, and such a request shall not be considered as a rejection or acceptance by the Company until the validity period specified herein.

Notification of Acceptance: By way of a Letter of Intent to Award, Company shall notify the successful Bidder of Company acceptance of its Tender subject to the following conditions precedent: Signing of the Contract.

For the purpose of determining the start dates of the Performance Bond and the Insurances, the date of the Letter of Intent to Award shall be used unless another date is otherwise stipulated in the Letter of Intent to Award. If the successful Bidder fails to submit the documentation per (a) and (b) above within the time period stipulated in the Letter of Intent to Award, Company may, at its sole discretion, without the need for summons or notice or other legal formalities, exercise any rights stipulated in the Tender Documents, and notify the successful Bidder that the Contract is, ipso facto, terminated. The Effective Date, as entered in the Agreement, shall be determined at the sole discretion of Company.

**3. ABRAJ STANDARD TERMS & CONDITIONS**

Abraj's standard terms and conditions are attached as per Annexure 12 and any deviation to terms and conditions should be specifying in Commercial Bid.

Company expressly reserves the right to extend the bid submission deadline. Bidders not complying with the requirements of the Bid Form and the submission and delivery of the bids may be deemed non-responsive to the Invitation to Tender and their bids may be excluded from further consideration.

Bidders accept full responsibility for ensuring their Bids are delivered to the email addresses by the specified deadline. Bids submitted to any other email address or later than the deadline may not be considered.

**FORM OF TENDER**

JTC.241230.OPS.8000431 Rate Agreement for Supply of WOM Spares

To:

**Abraj Energy Services (SAOC)**  
Al-Mawaleh, PO Box 1156, PC 130, Azaiba,  
**Sultanate of Oman**

Sir/Madam,

1. We have examined the Conditions of Contract, Company's Requirements, and Addenda listed hereunder for the above named Works. We have examined, understood and checked these documents and have ascertained that they contain no errors or other defects. We, the undersigned accordingly, offer to execute and completely maintain the whole of the said Works for the prices set out in our Tender.  
  
Rials Omani .....  
(R.O. ....) or such other sum or currency\*  
(.....)
2. We undertake if our Tender is accepted to commence the work in accordance within ..... Days of the Contract Conditions and to complete the Works in accordance with the above documents within the time for Completion stated in the Appendix to the Form of Tender. We guarantee that the Works will then conform to the Performance Guarantees included in this Tender.
3. We undertake that if our Tender is accepted we will provide the specified Performance Bond from a locally registered Insurance Company or Bank in accordance with SubClause 2.16 of the above instruction to Bidder to be jointly and severally bound with us in the sum of five percent (5%) of the Contract Price for the due performance of the Contract under the terms of a Performance Bond to be approved by you.
4. We agree to abide by this Tender for a period of 90 days from the date fixed for receiving same and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
5. Until the Contract is prepared and executed this Letter of Tender, together with your written acceptance thereof, shall constitute a binding obligation upon us.
6. We understand that you are not bound to accept the lowest or any tender you may receive.
7. We acknowledge the receipt of the following Circular Letter and Addenda:

Reference number of Addenda:	Date
.....	.....
.....	.....

.....

.....

And confirm that we have taken account of same in our Tender.

8. We confirm that we have an Agent/s for the provision of Spare Parts, Maintenance Services and repair who are:

Name \_\_\_\_\_

Address \_\_\_\_\_

And whose Agency Registration Number is \_\_\_\_\_

Dated \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

And whose Agency Registration Number is \_\_\_\_\_

Dated \_\_\_\_\_

\_\_\_\_\_

## Annexure- 01 Scope of Work

<u>Scope of Works:</u>	
1	Floating a tender for WOM parts for all the equipment and items of WOM brand.
<u>Mandatory Criteria document must submit in tender:</u>	
1	Authorization letter from OEM if supplier not the OEM
2	Submitted confirmation letter To Confirm providing COC when Abraj request in the purchasing order.
<u>Technical Criteria:</u>	
1	Lead time of Delivery
2	Warranty Period

Main Scope of Work						Supplier to indicate	
Seq.	Item Code	Description	Part No.	Base Unit of Measure	Expected Quantity Per 3 year	Quote Yes /No	Delivery Period (in Days )
1	2008 841	SEAL, BEARING CAP, FOR GATE VALVE, 3-1/16" 10K, MODEL: 200M, MAKE: WOM		NO	18	Please select :	Please select :
2	2008 842	BEARING RACE, FOR GATE VALVE, 3-1/16" 10K, MODEL: 200M, MAKE: WOM		NO	1	Please select :	Please select :
3	2008 843	BEARING, THRUST, FOR GATE VALVE, 3-1/16" 10K, MODEL: 200M, MAKE: WOM		NO	45	Please select :	Please select :
4	2008 844	SEAL, STEM ADAPTER, FOR GATE VALVE, 3-1/16" 10K, MODEL: 200M, MAKE: WOM		NO	90	Please select :	Please select :



5	2008 845	PACKING, STEM, FOR GATE VALVE, 3- 1/16" 10K, MODEL: 200M, MAKE: WOM		NO	62	Please select :	Please select :
6	2008 846	GASKET, BONNET, FOR GATE VALVE, 3- 1/16" 10K, MODEL: 200M, MAKE: WOM		NO	34	Please select :	Please select :
7	2008 847	GATE, (#5) 3" 10K WC/MAGNUM, FOR GATE VALVE, 3-1/16" 10K, MODEL: 200M, MAKE: WOM		NO	63	Please select :	Please select :
8	2008 848	PLUG, BLEEDER, 3/8" AUTOCLAVE PLUG, FOR GATE VALVE, 3- 1/16" 10K, MODEL: 200M, MAKE: WOM		NO	41	Please select :	Please select :
9	2008 849	SEAL ASSEMBLY, FOR GATE VALVE, 3- 1/16" 10K, MODEL: 200M, MAKE: WOM		NO	10	Please select :	Please select :
10	2014 135	PISTON 3" 10/15M HYD CHOKE , 4- 1/16" X 10K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-11	WCR-501-11	NO	36	Please select :	Please select :

11	2014 136	ACTUATOR ROD HYD CHOKE , 4- 1/16" X 10K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-13	WCR-501-13	NO	13	Please select :	Please select :
12	2016 518	SEAT, 4-1/16"- 10K GATE VALVE MODEL: WM2300(M)- NL, MAKE: WOM, PN: WM-2221	WM-2221	NO	91	Please select :	Please select :
13	2018 570	LUBRICANT, MAGNA SEAL, SP, MAKE: WOM, P/N: MS-0056-40	MS-0056-40	NO	72	Please select :	Please select :
14	2019 195	SENSOR SWITC H, PROXIMITY, MAGNETIC MO UNTING THREAD: M18X1.0, ELECTRICAL: PG9, CABLE LENGTH : 8M (26'), MAKE: WORLDWIDE OIL FIELD, P/N: EURO SWITCH ES- 3321 BN		NO	50	Please select :	Please select :
15	4026 629	STEM, FOR ADJUSTABLE CHOKE 2-1/16" 10 K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT	WA7001-4	NO	32	Please select :	Please select :

		MODEL: WA8001, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WA7001-4					
16	4026 630	SEAT, CHOKE, FOR ADJUSTABLE CHOKE 2-1/16" 10 K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WA8001, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: BY0408	BY0408	NO	12	Please select :	Please select :
17	4026 632	PACKING ASSEMBLY, 2- 1/16" 5K, CHOKE 1" ORIFICE, FOR ADJUSTABLE CHOKE 2-1/16" 10 K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WA8001, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WA7001-7A	WA7001-7A	NO	11	Please select :	Please select :
18	4026 635	GREASE FITTING, FOR ADJUSTABLE	SW1316	NO	24	Please select :	Please select :

		CHOKE 2-1/16" 10 K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WA8001, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: SW1316					
19	4027 054	REPAIR KIT, COMPLETE, SIZE: 3-1/16" 10K FOR ADJUSTABLE CHOKE, MAKE: WOM S/R NU 10112668-0-2 API 6A	10112668-0-2	NO	120	Please select :	Please select :
20	4029 321	SEAL, FOR GATE VALVE, 4-1/16"-10K MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: PN3449	PN3449	NO	20	Please select :	Please select :
21	4029 322	BEARING RACE, 2-1/2", 4", 6", FOR GATE VALVE, 4-1/16"-10K MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: 3493		NO	18	Please select :	Please select :
22	4029 323	BEARING, 3" 3/5M OCT NTA-3244, FOR GATE VALVE, 4-1/16"-10K MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: 3483	00000000000000 03483	NO	27	Please select :	Please select :
23	4029 324	SEAL, O-RING, FOR GATE	PN2249	NO	4	Please select :	Please select :

		VALVE, 4-1/16"-10K MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: PN2249					
24	4029 325	STEM PACKING, FOR GATE VALVE, 4-1/16"-10K MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: 3474	0000000000000 03474	NO	5	Please select :	Please select :
25	4029 326	GASKET, BONNET 4-1/16"-10K/3-1/16"-20K, FOR GATE VALVE, 4-1/16"-10K MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: 3461-1	3461-1	NO	5	Please select :	Please select :
26	4029 327	GATE #5, FOR GATE VALVE, 4-1/16"-10K MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: SW1093A	SW1093A	NO	31	Please select :	Please select :
27	4029 328	BLEEDER PLUG, 3/8" AUTOCLAVE PLUG, FOR GATE VALVE, 4-1/16"-10K MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: AC3750	AC3750	NO	11	Please select :	Please select :
28	4029 329	SEAL ASSY, 4" 10K CIW/MAG #5, FOR GATE VALVE, 4-1/16"-10K MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: WC4010	WC4010	NO	31	Please select :	Please select :

29	4029 330	SEAL RING, FOR GATE VALVE 4- 1/16"-10K MODEL 200M HYD. WM2300HM- NL, MAKE: WOM, P/N: PN2229	PN2229	NO	37	Please select :	Please select :
30	4029 331	SEAL, FOR GATE VALVE 4- 1/16"-10K MODEL 200M HYD. WM2300HM- NL, MAKE: WOM, P/N: PN3599	PN3599	NO	35	Please select :	Please select :
31	4029 332	SEAL, O-RING, FOR GATE VALVE 4-1/16"- 10K MODEL 200M HYD. WM2300HM- NL, MAKE: WOM, P/N: PN2189	PN2189	NO	17	Please select :	Please select :
32	4029 333	SEAL RING, FOR GATE VALVE 4- 1/16"-10K MODEL 200M HYD. WM2300HM- NL, MAKE: WOM, P/N: PT3379	PT3379	NO	14	Please select :	Please select :
33	4029 334	GATE (#5) 4"- 10K CIW/MAGNUM HYD., FOR GATE VALVE 4- 1/16"-10K MODEL 200M HYD. WM2300HM- NL, MAKE: WOM, P/N: SW1093H	SW1093H	NO	20	Please select :	Please select :
34	4029 335	SEAL, SEAT, FOR GATE VALVE, 4-	WCV605-6	NO	34	Please select :	Please select :

		1/16"-10K TYPE R, WCV2300, MAKE: WOM, P/N: WCV605-6					
35	4029 336	PACKING ASSEMBLY, FOR GATE VALVE, 4-1/16"-10K TYPE R, WCV2300, MAKE: WOM, P/N: CSP500	CSP500	NO	16	Please select :	Please select :
36	4029 340	SEAL BEARING CAP, FOR WM800 (M)-NL GATE VALVE 2-1/16"-10K, MODEL: 200M HWO, H2S (REV1), MAKE: WOM, P/N: PN3409	PN3409	NO	25	Please select :	Please select :
37	4029 341	BEARING RACE, FOR WM800 (M)-NL GATE VALVE 2-1/16"-10K, MODEL: 200M HWO, H2S (REV1), MAKE: WOM, P/N: 3492		NO	29	Please select :	Please select :
38	4029 342	BEARING, THRUST, FOR WM800 (M)-NL GATE VALVE 2-1/16"-10K, MODEL: 200M HWO, H2S (REV1), MAKE: WOM, P/N: 3482		NO	26	Please select :	Please select :
39	4029 343	PACKING, STEM, FOR WM800 (M)-NL GATE VALVE 2-1/16"-10K, MODEL: 200M HWO, H2S (REV1), MAKE: WOM, P/N: 3472		NO	4	Please select :	Please select :

40	4029 344	GASKET, BONNET 1- 13/16"-10K & 2-1/16" 10/15K, FOR WM800 (M)-NL GATE VALVE 2- 1/16"-10K, MODEL: 200M HWO, H2S (REV1), MAKE: WOM, P/N: WM317A	WM317A	NO	3	Please select :	Please select :
41	4029 345	GATE (#5) 2" 10/15K CIW/MAG, FOR WM800 (M)-NL GATE VALVE 2- 1/16"-10K, MODEL: 200M HWO, H2S (REV1), MAKE: WOM, P/N: SW1067	SW1067	NO	5	Please select :	Please select :
42	4029 346	SEAL ASSEMBLY, FOR WM800 (M)-NL GATE VALVE 2- 1/16"-10K, MODEL: 200M HWO, H2S (REV1), MAKE: WOM, P/N: WC2010	WC2010	NO	3	Please select :	Please select :
43	4029 347	SEAL, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE:	PN1149	NO	3	Please select :	Please select :



		WORLDWIDE OILFIELD MACHINE (WOM), P/N: PN1149					
44	4029 348	RETAINER RING, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR501-6	WCR501-6	NO	7	Please select :	Please select :
45	4029 349	SEAL, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PN3749	PN3749	NO	4	Please select :	Please select :

46	4029 350	SEAL, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PT2269	PT2269	NO	6	Please select :	Please select :
47	4029 351	BACKUP RING, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PB2269	PB2269	NO	9	Please select :	Please select :
48	4029 352	O-RING, 3" 10K HTD CHOKE, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E	PT2149	NO	2	Please select :	Please select :

		(1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PT2149					
49	4029 353	PACKING ASSEMBLY 3- 1/16" 15K HYD CHOKE, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: HSP501	HSP501	NO	1	Please select :	Please select :
50	4029 354	RETAINER RING, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3),	WCR501-16	NO	2	Please select :	Please select :

		EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR501-16					
51	4029 355	SEAL, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PT2419	PT2419	NO	2	Please select :	Please select :
52	4029 356	GATE, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT	WCR501-20	NO	1	Please select :	Please select :

		MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR501-20					
53	4029 357	BACKUP RING, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PB2419	PB2419	NO	1	Please select :	Please select :
54	4029 358	O-RING, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PT3429	PT3429	NO	3	Please select :	Please select :

55	4029 359	BACK UP RING 8-342, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PB3425	PB3425	NO	15	Please select :	Please select :
56	4029 360	RETAINER RING, FOR WCR515 HYDRAULIC CHOKE VALVE ASSEMBLY, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE) (REV3), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: BY0758	BY0758	NO	5	Please select :	Please select :
57	4029 361	SEAL, FOR CHOKE ADJUSTABLE DRILLING ASSEMBLY 4-	PN2299	NO	6	Please select :	Please select :

		1/6"-10K F.E (1-3/4" MAX ORIFICE) 13.00(REV2), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: M4983, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PN2299					
58	4029 362	RETAINER RING (PRECEDED BY0060), FOR CHOKE ADJUSTABLE DRILLING ASSEMBLY 4-1/6"-10K F.E (1-3/4" MAX ORIFICE) 13.00(REV2), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: M4983, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: BY0228	BY0228	NO	6	Please select :	Please select :
59	4029 363	SEAL RING, FOR CHOKE ADJUSTABLE DRILLING ASSEMBLY 4-1/6"-10K F.E (1-3/4" MAX ORIFICE) 13.00(REV2), EQUIPMENT:	PN0419	NO	6	Please select :	Please select :

		WELL CONTROL SYSTEM, EQUIPMENT MODEL: M4983, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PN0419					
60	4029 364	PACKING ASSEMBLY 2-9/16" 10K ADJ CHOKE, FOR CHOKE ADJUSTABLE DRILLING ASSEMBLY 4-1/6"-10K F.E (1-3/4" MAX ORIFICE) 13.00(REV2), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: M4983, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: ASP300HT	ASP300HT	NO	7	Please select :	Please select :
61	4029 365	SEAL, FOR CHOKE ADJUSTABLE DRILLING ASSEMBLY 4-1/6"-10K F.E (1-3/4" MAX ORIFICE) 13.00(REV2), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL:	PH2269	NO	2	Please select :	Please select :



		M4983, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PH2269					
62	4029 366	SEAL, FOR CHOKE ADJUSTABLE DRILLING ASSEMBLY 4- 1/6"-10K F.E (1- 3/4" MAX ORIFICE) 13.00(REV2), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: M4983, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PH3429	PH3429	NO	34	Please select :	Please select :
63	4029 367	SEAL RING, FOR CHOKE ADJUSTABLE DRILLING ASSEMBLY 4- 1/6"-10K F.E (1- 3/4" MAX ORIFICE) 13.00(REV2), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: M4983, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE	PH3449	NO	86	Please select :	Please select :

		(WOM), P/N: PH3449					
64	4029 368	BACK UP RING, FOR CHOKE ADJUSTABLE DRILLING ASSEMBLY 4- 1/6"-10K F.E (1- 3/4" MAX ORIFICE) 13.00(REV2), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: M4983, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PB3449	PB3449	NO	23	Please select :	Please select :
65	4029 369	SEAL, FOR CHOKE ADJUSTABLE DRILLING ASSEMBLY 4- 1/6"-10K F.E (1- 3/4" MAX ORIFICE) 13.00(REV2), EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: M4983, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PH2299	PH2299	NO	22	Please select :	Please select :

66	4030 771	SENSOR, POSITION, FOR CHOKE MANIFOLD 4- 1/16" - 10K CHOKE HYDRAULIC ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), OLD, P/N: WCD-LSC- 100, P/N: WCD- LSC- 200	WCD-LSC-100	NO	6	Please select :	Please select :
67	4030 787	SENSOR, POSITION, HDI CHOKE, LINEAR POTENTIOMET ER ASSEMBLY, W/ SS HOUSING ENCLOSURE AND 2 PIGTAIL CSA CERTIFICATES, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: 2200001-3000- 001AA	2200001-3000- 001AA	NO	2	Please select :	Please select :
68	4034 837	NUT, LOCK, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE),	WCR-501-9	NO	4	Please select :	Please select :

		HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-9					
69	4034 838	SCREW, SET, SOC., 4-1/16"- 10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: BY-0008	BY-0008	NO	4	Please select :	Please select :
70	4034 839	PACKING, STEM, 4-1/16"- 10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE:	TE10009	NO	15	Please select :	Please select :

		WORLDWIDE OILFIELD MACHINE (WOM), P/N: TE10009					
71	4034 840	BEARING, MODULAR, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WM-815	WM-815	NO	3	Please select :	Please select :
72	4034 841	RING, JUNK, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-15	WCR-501-15	NO	6	Please select :	Please select :
73	4034 842	WASHER, LOCK, 4-1/16"-10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC	WCR-501-18	NO	12	Please select :	Please select :

		CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-18					
74	4034 843	RETAINER, REAR, 4-1/16"-10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-19B	WCR-501-19B	NO	40	Please select :	Please select :
75	4034 844	RING, BACK-UP, 4-1/16"-10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE	PB-226F	NO	4	Please select :	Please select :

		OILFIELD MACHINE (WOM), P/N: PB-226F					
76	4034 845	RETAINER, FRONT, 4-1/16"-10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-22B	WCR-501-22B	NO	11	Please select :	Please select :
77	4034 846	RING, BACK-UP, 4-1/16"-10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PB-342F	PB-342F	NO	4	Please select :	Please select :
78	4034 847	SEAT, 4-1/16"-10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE	WCR-501-25	NO	8	Please select :	Please select :

		ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-25					
79	4034 848	SLEEVE, WEAR, 4-1/16"-10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-26	WCR-501-26	NO	40	Please select :	Please select :
80	4035 364	STEM, FOR MANUAL GATE VALVE, 4-1/16" X 10 K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 200M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: 3068	00000000000000 03068	NO	5	Please select :	Please select :



81	4035 365	STUD, TAP END, 1-5/8" X 8" LG, FOR MANUAL GATE VALVE, 4-1/16" X 10 K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 200M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: DB-1580-RS	DB-1580-RS	NO	4	Please select :	Please select :
82	4035 366	NUT, HEX, FOR MANUAL GATE VALVE, 4-1/16" X 10 K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 200M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: B- 15	B-15	NO	50	Please select :	Please select :
83	4035 367	GLAND, PACKING, FOR MANUAL GATE VALVE, 4-1/16" X 10 K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 200M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: 3105	0000000000000 03105	NO	8	Please select :	Please select :

84	4035 368	GASKET, FOR MANUAL GATE VALVE, 4-1/16" X 10 K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 200M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: 3461	0000000000000 03461	NO	4	Please select :	Please select :
85	4036 834	VALVE, DIRECTIONAL, MECHANICAL, FOR WOM CHOKE CONTROL PANEL, WOM- CTRL-10072, VALVE, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), PART MAKE: VERSA, P/N: TBL-4503S	TBL-4503S	NO	64	Please select :	Please select :
86	4036 928	VALVE, DIRECTIONAL CONTROL, 0- 500 PSI, FOR REMOTE CHOKE PANEL, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: WCR515, EQUIPMENT	TBL-4503-S	NO	4	Please select :	Please select :

		MAKE: WORLDWIDE OILFIELD MACHINE (WOM), PART MODEL: WOM- 10073, PART MAKE: VERSA, P/N: TBL-4503- S					
87	4036 948	GAUGE, PRESSURE, AIR, 300 PSI, PANEL MOUNT, WOM-CTRL- 10072, GAUGE, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)		NO	4	Please select :	Please select :
88	4036 949	GAUGE, HYDRAULIC, 1000 PSI, PANEL MOUNT, WOM-CTRL- 10072, GAUGE, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)		NO	40	Please select :	Please select :
89	4037 107	PIN, STEM, FOR GATE VALVE 4- 1/16", 10K, 200M, MODEL: WM2300(M)- NL, MAKE:	0000000000000 03091	NO	44	Please select :	Please select :

		WOM, P/N: 3091					
90	4037 178	EXTENSION, BONNET, FOR CHOKE HYDRAULIC, 4- 1/16"-10M FE, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-10A	WCR-501-10A	NO	36	Please select :	Please select :
91	4037 339	SCREW NUT, 4- 1/16"-10K F.E (1-3/4" MAX ORIFICE), HYDRAULIC CHOKE VALVE ASSEMBLY, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WCR515, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCR-501-23	WCR-501-23	NO	2	Please select :	Please select :
92	4038 798	GATE, 3-1/16" X 10K, FOR GATE VALVE, 3- 1/8"-5K MODEL: 200M MANUAL F.E. H2S, MAKE: WOM, P/N: SW1072A	SW1072A	NO	1	Please select :	Please select :
93	4038 799	SEAL ASSY, FOR GATE VALVE, 3- 1/8"-5K	WC30056N	NO	4	Please select :	Please select :

		MODEL: 200M MANUAL F.E. H2S, MAKE: WOM, P/N: WC30056N					
94	4038 800	SEAL, FOR HYDRAULIC GATE VALVE, 3- 1/8"-5K F.E. MODEL: 200M, MAKE: WOM, P/N: PN3489	PN3489	NO	7	Please select :	Please select :
95	4038 801	SEAL, FOR HYDRAULIC GATE VALVE, 3- 1/8"-5K F.E. MODEL: 200M, MAKE: WOM, P/N: PN2149	PN2149	NO	4	Please select :	Please select :
96	4038 802	SAEL, FOR HYDRAULIC GATE VALVE, 3- 1/8"-5K F.E. MODEL: 200M, MAKE: WOM, P/N: PT3339	PT3339	NO	3	Please select :	Please select :
97	4038 803	GASKET, BONNET, FOR HYDRAULIC GATE VALVE, 3- 1/8"-5K F.E. MODEL: 200M, MAKE: WOM, P/N: 3457H	3457H	NO	76	Please select :	Please select :
98	4038 804	GATE (#5), FOR HYDRAULIC GATE VALVE, 3- 1/16"-10K F.E. MODEL: 200M, MAKE: WOM, P/N: SW1072H	SW1072H	NO	73	Please select :	Please select :
99	4038 805	SEAL ASSY, FOR HYDRAULIC GATE VALVE, 3- 1/8"-5K F.E. MODEL: 200M, MAKE: WOM, P/N: WC3005N	WC3005N	NO	104	Please select :	Please select :
100	4038 809	STEM, 3 1/8"- 5/10K CIW, FOR GATE	3058DL	NO	19	Please select :	Please select :

		VALVE, 3-1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: 3058DL					
101	4038 810	GASKET, BONNET, 3-1/16"-10K TYPE 'R' CHECK VALVE, FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: M0043-3-1	M0043-3-1	NO	14	Please select :	Please select :
102	4038 811	STEM, OPERATING, 3-1/16"-10K CIW, , FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: 3656-1	3656-1	NO	16	Please select :	Please select :
103	4039 075	HANDWHEEL, 18" DIA. MAGNUM, FOR GATE VALVE, 3-1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: WM-1901C	WM-1901C	NO	21	Please select :	Please select :
104	4039 076	CAP, BEARING, 2-1/16"-5K , 3-1/8"-5K, 4-1/16"-5K, 4 1/16"-7.5K, FOR GATE VALVE, 3-1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: WM-1702	WM-1702	NO	11	Please select :	Please select :
105	4039 077	FITTING, GREASE, 1/8" NPT (PRECEDED	WM-703	NO	29	Please select :	Please select :

		2161) 3000 PSI, FOR GATE VALVE, 3-1/8"- 5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: WM-703					
106	4039 078	ADAPTER, STEM 1"-CIW (PRECEDED WM-708), FOR GATE VALVE, 3- 1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: 3098	0000000000000 03098	NO	7	Please select :	Please select :
107	4039 079	PIN, STEM, 7/16"OD X 2- 3/8" LONG (PRECEDED WM-709, W02181214), FOR GATE VALVE, 3-1/8"- 5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: 3090		NO	6	Please select :	Please select :
108	4039 080	GLAND, PACKING 1" CIW STEM, FOR GATE VALVE, 3- 1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: 3104		NO	6	Please select :	Please select :
109	4039 081	NUT, HEX, 1- 1/8"-8UN (CAD. PLT'D.), FOR GATE VALVE, 3- 1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: B- 11	B-11	NO	6	Please select :	Please select :
110	4039 082	STUD, 1-1/8"- 8UN X 4-	DB-1146	NO	9	Please select :	Please select :

		3/4"(B7), FOR GATE VALVE, 3-1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: DB-1146					
111	4039 083	BONNET, 3-1/8"-7.5/5K, MODEL 200, FOR GATE VALVE, 3-1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: CW-1714	CW-1714	NO	24	Please select :	Please select :
112	4039 084	FITTING, GREASE, 1/2" NPT, FOR GATE VALVE, 3-1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: 2145-1	2145-1	NO	20	Please select :	Please select :
113	4039 087	BODY, 3-1/8"-5K MODEL 200 F.E., FOR GATE VALVE, 3-1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: CW-1726	CW-1726	NO	22	Please select :	Please select :
114	4039 088	RING, SEAL, #2-242 95 DURO V1239-95 ID.3.984" CS.0.139", FOR GATE VALVE, 3-1/8"-5K MODEL 200M MANUAL F.E. H2S, MAKE: WOM, P/N: PT-2425	PT-2425	NO	34	Please select :	Please select :
115	4039 089	NUT, HEX, (CAD PLATED) 7/8"-9UNC (PRECEDED S2709000-11-	B-07	NO	5	Please select :	Please select :



		01), FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: B-07					
116	4039 090	BONNET, 3-1/16"-5K TYPE 'R' CHECK VALVE, FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: WCV-490-2	WCV-490-2	NO	22	Please select :	Please select :
117	4039 091	SPRING, CIW #610089-03 (PRECEDED 610089-3; 610089-03), FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: WCV-605-4	WCV-605-4	NO	84	Please select :	Please select :
118	4039 092	POPPET, 4-1/16"-10K TYPE 'R' CHECK VALVE, FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: WCV-605-5-1	WCV-605-5-1	NO	1	Please select :	Please select :
119	4039 093	SEAT, 4-1/16"-10K, K TYPE 'R' CHECK VALVE, FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: WCV-605-7A	WCV-605-7A	NO	5	Please select :	Please select :
120	4039 094	STUD, 7/8" X 4-3/4" LONG, FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: DB-0746	DB-0746	NO	5	Please select :	Please select :

121	4039 095	BODY, CHECK VALVE, 3-1/8"-5K TYPE 'R' (PRECEDED BY WCV490-9), FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: WCV-490-9	WCV-490-9	NO	5	Please select :	Please select :
122	4039 096	SCREW, SEAT, 4-1/16"-10K TYPE "R" CHECK VALVE, FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: WCV-605-11B	WCV-605-11B	NO	1	Please select :	Please select :
123	4039 097	PLATE, RETAINER, 2-1/16"-15K TYPE 'R' CHECK VALVE, FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: WCV-605-12	WCV-605-12	NO	1	Please select :	Please select :
124	4039 098	STUD, 3/4"-10UNC X 3-3/4" LG., FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: DB-0636	DB-0636	NO	11	Please select :	Please select :
125	4039 099	PACKING, STEM, 25001500, FOR CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: TC15009	TC15009	NO	16	Please select :	Please select :
126	4039 100	BEARING, MODULAR, 3"-10K TYPE 'R' CHECK VALVE MODI, FOR	SW-3993	NO	21	Please select :	Please select :

		CHECK VALVE, 3-1/8"-5K TYPE 'R', MAKE: WOM, P/N: SW-3993					
127	4039 101	NUT, 3"-10K CIW ADJ. HYD, FOR HYDRAULIC GATE VALVE, 3- 1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: 3193	0000000000000 03193	NO	21	Please select :	Please select :
128	4039 102	SEAL, FOR HYDRAULIC GATE VALVE, 3- 1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: PN-3489	PN-3489	NO	11	Please select :	Please select :
129	4039 103	SCREW, LOCKING 3" 5K, 2-9/16"10K, 3"10K HYD, FOR HYDRAULIC GATE VALVE, 3- 1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: CW-1705H	CW-1705H	NO	1	Please select :	Please select :
130	4039 104	NUT, HEX, 3/4"-10UNC-2B (CAD PLATED), FOR HYDRAULIC GATE VALVE, 3- 1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: B-06	B-06	NO	37	Please select :	Please select :
131	4039 105	SCREW, SET FLAT POINT 1/2" 13 UNC X 1/2" LG, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: BY-0139	BY-0139	NO	1	Please select :	Please select :

132	4039 106	HEAD, BLIND CYLINDER 3- 1/16"-10K CIW, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: 3196		NO	1	Please select :	Please select :
133	4039 107	STUD, CYLINDER HEAD, 3/4"- 10UNC X 12" LONG B7 CAD PLATED, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: AB-06120	AB-06120	NO	1	Please select :	Please select :
134	4039 108	CYLINDER, 3"- 5/10K CIW, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: 3192	0000000000000 03192	NO	1	Please select :	Please select :
135	4039 109	NUT, CENTERING, 3-1/16"-10K, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: 3189	0000000000000 03189	NO	1	Please select :	Please select :
136	4039 110	SCREW, SET, 3/8"-16 UNC X 1/2" LG. (PRECEDED WM-735H), FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: BY-0138	BY-0138	NO	1	Please select :	Please select :
137	4039 111	LOCKNUT, PISTON, 1"-8 UNC NYLOC NUT, FOR HYDRAULIC GATE VALVE,	BY-0140	NO	1	Please select :	Please select :

		3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: BY-0140					
138	4039 112	SEAL, PARKER # 2- 214, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: PN-2149	PN-2149	NO	1	Please select :	Please select :
139	4039 113	SEAL, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: PT-3339	PT-3339	NO	1	Please select :	Please select :
140	4039 114	GLAND, PACKING, 3- 1/16"-10K MODEL 200M, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: CW- 1817H	CW-1817H	NO	1	Please select :	Please select :
141	4039 115	HEAD, LOWER CYLINDER, 3- 1/16"-10K MODEL 200M HYD., FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: CW- 1819H	CW-1819H	NO	1	Please select :	Please select :
142	4039 116	VALVE, RELIEF, 1/8" NPT (PRECEDED WBC-317 & WM728-CE), FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: WM-728	WM-728	NO	1	Please select :	Please select :
143	4039 117	PISTON, 3"- 5/10K, CIW,	0000000000000 03194	NO	1	Please select :	Please select :

		FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: 3194					
144	4039 118	BODY ASSEMBLY, 3-1/8"-5K MODEL 200 HYDRAULIC F.E., FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: CW-1726H	CW-1726H	NO	1	Please select :	Please select :
145	4039 120	BOLT, HEX HEAD, 1/2"-13UN X 3-1/2" LONG W/ NUT (PRECEDED WM-730), FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: WM-732	WM-732	NO	1	Please select :	Please select :
146	4039 121	PIN, ALIGNMENT, 4"-5K CIW 'FC', FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: 30766	00000000000000 30766	NO	1	Please select :	Please select :
147	4039 122	PIN, SPRING SLOT, 7/16" X 1.50 LENGTH - GRAINGER #5CU24, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: BY-4284	BY-4284	NO	1	Please select :	Please select :
148	4039 123	STEM, LOWER, 3-1/8"-5K CIW, FOR HYDRAULIC GATE VALVE,	3122-B	NO	1	Please select :	Please select :

		3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: 3122-B					
149	4039 124	PROTECTOR, STEM, 3" 5/10K MODEL 200 HYDRAULIC, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: CW-1738H	CW-1738H	NO	1	Please select :	Please select :
150	4039 125	PLUG, BLEEDER, 3/8" AUTOCLAVE PLUG (PRECEDED S1745408; S1745409 & AC-3750-CE), FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: AC-3750	AC-3750	NO	1	Please select :	Please select :
151	4039 126	PLUG, PIPE, 1/4"-18NPT HEX HEAD (PRECEDED BY BY0553), FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: BY-0314	BY-0314	NO	1	Please select :	Please select :
152	4039 127	FITTING, ALEMITE, 1/4" NPT, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: WM-703H	WM-703H	NO	1	Please select :	Please select :
153	4039 129	BODY, 3-1/8-5K MODEL 200 HYDRAULIC F.E, FOR HYDRAULIC GATE VALVE,	CW-1726H-1	NO	1	Please select :	Please select :

		3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: CW-1726H-1					
154	4039 130	PLUG, 3-1/8"-5M MODEL 200 HYDRAULIC, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: CW-1726H-2	CW-1726H-2	NO	1	Please select :	Please select :
155	4039 131	SEAT, (#5) 3-1/16"-5/10K MAGNUM (WCV), FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: SW-1062	SW-1062	NO	1	Please select :	Please select :
156	4039 132	SEAL, VITON 95, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: PT-2395	PT-2395	NO	1	Please select :	Please select :
157	4039 133	RING, BACK UP, 3-1/8"-5K MAGNUM (WCV), FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: BS-3010V	BS-3010V	NO	1	Please select :	Please select :
158	4039 134	RETAINER, SEAT, 3-1/8"-5K MAGNUM /CIW, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: SW-2668B	SW-2668B	NO	1	Please select :	Please select :
159	4039 135	SEAL, PARKER, NO. 2-237 V1239-95 ID.3.359"	PT-2375	NO	1	Please select :	Please select :



		CS.0.139", FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: PT-2375					
160	4039 136	RING,BACK UP, 3-1/18"-5K CIW/MAGNUM, FOR HYDRAULIC GATE VALVE, 3-1/8"-5K F.E. MODEL 200M, MAKE: WOM, P/N: BT-3005C	BT-3005C	NO	1	Please select :	Please select :
161	4041 544	BONNET, SIZE: 4-1/16"- 10K TYPE 'R', FOR CHECK VALVE, MODEL: WCV- 605, MAKE: WOM, P/N: WCV-605-2	WCV-605-2	NO	1	Please select :	Please select :
162	4046 593	SEAT RETAINER, FOR HYDRAULIC GATE, MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: SW-1091	SW-1091	NO	1	Please select :	Please select :
163	4046 594	STEM OPERATING, FOR HYDRAULIC GATE, MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: 3659	00000000000000 03659	NO	1	Please select :	Please select :
164	4046 595	STEM PROTECTOR, FOR HYDRAULIC GATE, MODEL: 200M, WM2300M-NL, MAKE: WOM, P/N: CW- 2338H	CW-2338H	NO	1	Please select :	Please select :
165	4046 641	SEAT, ADJUSTABLE CHOKE, 3" ORIFICE C/W		NO	1	Please select :	Please select :

		TUNGSTEN CARBIDE SLEEVE, FOR 4-1/16" 5-10K, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)					
166	4047 091	PACKING, STEM, WOM STYLE ADJUSTABLE CHOKE, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: ASP-300	ASP-300	NO	1	Please select :	Please select :
167	4047 092	SEAL RING, 2-344 (PRECEDED WBY2-3449), FOR CHOKE, ADJUSTABLE 3-1/8"X 5K, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PT-3449	PT-3449	NO	1	Please select :	Please select :
168	4047 093	O-RING, 2.63 OD NOM 2-229 (PRECEDED 520707), FOR CHOKE, ADJUSTABLE 3-1/8"X 5K, EQUIPMENT:	PT-2299	NO	1	Please select :	Please select :

		REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PT-2299					
169	4047 094	SEAL RING, 2- 115 (C.S.O.103), FOR CHOKE, ADJUSTABLE 3-1/8"X 5K, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PT-1159	PT-1159	NO	1	Please select :	Please select :
170	4047 095	GASKET, BONNET, 3- 1/8"-5K/7.5K CIW (PRECEDED WCV-205-3, W14017103010 4, 3457, 3457- H) , FOR MANUAL GATE VALVE, 3-1/8" X 5K , EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: 3457-04	3457-04	NO	1	Please select :	Please select :
171	4047 096	SEAT, FOR MANUAL GATE VALVE, 3-1/8" X 5K , EQUIPMENT:	W500305- 20DDQ	NO	1	Please select :	Please select :

		WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W500305- 20DDQ					
172	4047 097	SEAL RING (PRECEDED BY WM-1723) , FOR MANUAL GATE VALVE, 3-1/8" X 5K , EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PT-2379, 2-237	PT-2379	NO	1	Please select :	Please select :
173	4047 098	GLAND, PACKING, 1" CIW STEM, FOR MANUAL GATE VALVE, 3-1/8" X 5K, 2- 1/16" X 5K, EQUIPMENT: FOR MANUAL GATE VALVE, 3-1/8" X 5K, 2- 1/16" X 5K, EQUIPMENT MODEL: FOR MANUAL GATE VALVE, 3-1/8" X 5K, 2- 1/16" X 5K, EQUIPMENT MAKE: FOR MANUAL GATE VALVE, 3-1/8" X 5K, 2- 1/16" X 5K, P/N: FOR MANUAL GATE VALVE, 3-1/8" X 5K, 2-	FOR MANUAL GATE VA	NO	1	Please select :	Please select :

		1/16" X 5K, P/N: 3104					
174	4047 099	GASKET, BONNET, FOR 2-1/16"-5K/7.5K CIW (PRECEDED W02179309 & 3451-H), EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: 3451-H-1	3451-H-1	NO	1	Please select :	Please select :
175	4047 100	GATE , FOR MANUAL GATE VALVE, 2-1/6" X 5K, 2- 1/6" X 10K , EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500/550, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W500210- 18DDNLQ	W500210- 18DDNLQ	NO	1	Please select :	Please select :
176	4047 101	SEAT (#5) FOR 2-1/16"-10K MANUAL GATE VALVE , EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500/550, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE	W1708211-20	NO	1	Please select :	Please select :

		(WOM), P/N: W1708211-20					
177	4047 103	SEAL, (PRECEDED WBY2-2317) FOR 2-1/16"- 10K MANUAL GATE VALVE , EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500/550, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PT-2319, 2-231	PT-2319	NO	1	Please select :	Please select :
178	4047 139	FRONT PACKER, 5" PIPE RAM, P/N: W- 644224-14-00- 01 , FOR 13 5/8" 3-10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)	W-644224-14- 00-01	NO	1	Please select :	Please select :
179	4047 140	FRONT PACKER, 9- 5/8" PIPE RAM, P/N: W- 644224-24-00- 01 , FOR 13 5/8" 3-10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)	W-644224-24- 00-01	NO	1	Please select :	Please select :

180	4047 141	TOP SEAL, PIPE RAM, P/N: W- 644223-01-00- 01 , FOR 13 5/8" 5-10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)	W-644223-01- 00-01	NO	1	Please select :	Please select :
181	4047 142	SIDE PACKER, ISR , P/N: W- 2010985-01 , FOR 13 5/8" 5- 10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)	W-2010985-01	NO	1	Please select :	Please select :
182	4047 143	SIDE PACKER, ISR , P/N: W- 2010985-02 , FOR 13 5/8" 5- 10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)	W-2010985-02	NO	1	Please select :	Please select :
183	4047 144	BLADE SEAL, ISR, LEFT SHEARING RAM, P/N: W- 2010986-01 , FOR 13 5/8" 5- 10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE:	W-2010986-01	NO	1	Please select :	Please select :

		WORLDWIDE OILFIELD MACHINE (WOM)					
184	4047 145	BLADE SEAL, ISR, RIGHT SHEARING RAM, P/N: W- 2010986-02 , FOR 13 5/8" 5- 10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)	W-2010986-02	NO	1	Please select :	Please select :
185	4047 146	TOP SEAL, ISR RAM, P/N: W-644035-01- 00-01 , FOR 13 5/8" 5-10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)	W-644035-01- 00-01	NO	1	Please select :	Please select :
186	4047 171	SEAL - SEAT SEAL ASSY, PT-2475, FOR MANUAL GATE VALVE 4-1/16" X 10 K, HCR, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 200M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)	PT-2475	NO	1	Please select :	Please select :
187	4047 172	SEAL - SEAT SEAL ASSY, PT-2455, FOR MANUAL	PT-2455	NO	1	Please select :	Please select :



		GATE VALVE 4-1/16" X 10 K, HCR, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 200M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)					
188	4047 173	SEAL - SEAT SEAL ASSY, PT-2515, FOR MANUAL GATE VALVE 4-1/16" X 10 K, HCR, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 200M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM)	PT-2515	NO	1	Please select :	Please select :
189	4048 370	GATE, FOR MANUAL GATE VALVE, 3-1/8" X 3K, 3- 1/8" X 5K , EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500/550, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W550305- 18DDNLQ	W550305- 18DDNLQ	NO	1	Please select :	Please select :
190	4048 371	STEM, OPERATING, 3 1/8"-5K, EQUIPMENT: WELL	W550305H- 24DDNLQ	NO	1	Please select :	Please select :

		CONTROL SYSTEM, EQUIPMENT MODEL: 550 HYDRAULIC, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W550305H-24DDNLQ					
191	4048 372	GATE, 3 1/8"-5K, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 550 HYDRAULIC, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W550305H-25DDNLQ	W550305H-25DDNLQ	NO	1	Please select :	Please select :
192	4048 373	SEAL, 2-237, FOR 3-1/8"-5K , EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PVG-2379	PVG-2379	NO	1	Please select :	Please select :
193	4048 374	POPPET ASSEMBLY, 3 1/16"-10K, TYTPE 'R' CHECK VALVE, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: , EQUIPMENT MAKE:	WCV-490-ND-5	NO	1	Please select :	Please select :

		WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCV-490-ND-5					
194	4048 375	SEAL, POPPET, 3 1/8"-5K, CHECK VALVE, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: BY-5907	BY-5907	NO	1	Please select :	Please select :
195	4048 376	SEAT, 3 1/8"- 5K, TYTPE 'R' CHECK VALVE, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: WCV-490-ND-7	WCV-490-ND-7	NO	1	Please select :	Please select :
196	4048 377	SEAL FACE, SEAT, 3 1/8"- 5K, CHECK VALVE, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: BY-5908	BY-5908	NO	1	Please select :	Please select :

197	4048 378	PACKING, STEM, 1 1/2"ID X 2" OD X .75" HEIGHT, HIGH TEMP, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: HC15009	HC15009	NO	1	Please select :	Please select :
198	4048 379	PACKING ASSEMBLY, 3"-10K TYPE 'R' CHECK VALVE MODIFIED, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CSP-500M(PH)	CSP-500M(PH)	NO	1	Please select :	Please select :
199	4049 724	NUT, BLIND GATE AND SEAT DRILLING CHOKE, FOR MANUAL CHOKE VALVE, MAKE: WORLDWIDE OILFIELD MACHINE, P/N: V96338M	V96338M	NO	1	Please select :	Please select :
200	4049 906	FRONT PACKER, 4" PIPE RAM, FOR 13 5/8" 3- 10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT	W-644224-10- 00-01	NO	1	Please select :	Please select :

		MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-644224-10- 00-01					
201	4049 907	FRONT PACKER, 7" PIPE RAM, FOR 13 5/8" 3- 10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-644224-19- 00-01	W-644224-19- 00-01	NO	1	Please select :	Please select :
202	4049 908	FRONT PACKER, 4- 1/2" - 7" PIPE RAM, FOR 13 5/8" 3-10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-644924-03	W-644924-03	NO	1	Please select :	Please select :
203	4049 909	FRONT PACKER, 2- 7/8" - 5" PIPE RAM, FOR 13 5/8" 3-10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-645089-02- 00-01	W-645089-02- 00-01	NO	1	Please select :	Please select :

204	4049 910	TOP SEAL, VARIABLE RAM, FOR 13 5/8" 5-10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-644223-02- 00-01	W-644223-02- 00-01	NO	1	Please select :	Please select :
205	4049 911	LOWER SIDE PACKER, BSR, FOR 13 5/8" 5- 10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-46751-01- 00-02	W-46751-01-00- 02	NO	1	Please select :	Please select :
206	4049 912	UPPER SIDE PACKER, BSR , FOR 13 5/8" 5-10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-46752-01- 00-02	W-46752-01-00- 02	NO	1	Please select :	Please select :
207	4049 913	BLADE PACKER, BSR, SHEARING RAM, FOR 13 5/8" 5-10K, EQUIPMENT: BOP, EQUIPMENT MODEL: , EQUIPMENT MAKE:	W-644435-01- 00-01	NO	1	Please select :	Please select :

		WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-644435-01- 00-01					
208	4049 914	SEAL KIT , FOR STD BONNET, SOFT GOODS, 13 5/8, 3-10K, WOM, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-644909-03	W-644909-03	NO	1	Please select :	Please select :
209	4049 915	BONNET SEAL, WU, 13 5/8" 3-10K, WU TYPE BOP, WOM, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W644197-03- 00-01	W644197-03-00- 01	NO	1	Please select :	Please select :
210	4050 063	CENTERING NUT, FOR 4.1/16" HYDRAULIC GATE VALVE - 10 K, MODEL: 200M HYD, MAKE: WOM, P/N: 3190	0000000000000 03190	NO	1	Please select :	Please select :
211	4050 064	PISTON LOCKNUT, FOR 4.1/16" HYDRAULIC GATE VALVE - 10 K, MODEL:	BY-0277	NO	1	Please select :	Please select :

		200M HYD, MAKE: WOM, P/N: BY-0277					
212	4050 065	PISTON, FOR 4.1/16" HYDRAULIC GATE VALVE - 10 K, MODEL: 200M HYD, MAKE: WOM, P/N: CW-2322	CW-2322	NO	1	Please select :	Please select :
213	4050 460	SEAL, BONNET, 13- 5/8" 3K- 10K, TYPE "WU", FOR ANNULAR BOP, MODEL: WOM, MAKE: WOM, P/N: W- 644197-03-00- 01		NO	1	Please select :	Please select :
214	4051 847	GAUGE, POSITION INDICATOR, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: ECS101138	ECS101138	NO	1	Please select :	Please select :
215	4051 848	CABLE ASSEMBLY, 3C, 100 FEET CABLE, BOTH ENDS 3 PIN MALE CONNECTOR, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CASY-1004	CASY-1004	NO	1	Please select :	Please select :
216	4052 029	OPERATING STEM, ADJ DRILLING	M1955-28N	NO	1	Please select :	Please select :



		CHOKE, 3-1/16"-10K, EQUIPMENT MAKE: WOM, P/N: M1955-28N					
217	4052 030	KEY, ADJ DRILLING CHOKE VALVE, EQUIPMENT MAKE: WOM, P/N: M5898-5	M5898-5	NO	1	Please select :	Please select :
218	4052 031	SCREW, SOCKET HEAD CAP #5-40UNC(.125)X 3/16" LG, FOR MANUAL CHOKE VALVE, EQUIPMENT MAKE: WOM, P/N: BY-1557	BY-1557	NO	1	Please select :	Please select :
219	4055 181	KEY 3-1/16"-10K ADJ DRILLING CHOKE, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: , EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: M1955-16	M1955-16	NO	1	Please select :	Please select :
220	4055 591	SEAL KIT: ANNULAR, 13 5/8", EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-1002227-1		NO	1	Please select :	Please select :
221	4055 592	PRESSURE PLUG SOCKET		NO	1	Please select :	Please select :

		HEAD, 1.25"-11.5 NPT,13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: 981-120-300					
222	4055 593	SEAL: JAW HOLDING CAPSCREW, 13 5/8" 5K, TYPE WGK, LATCHED,13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-1003300		NO	1	Please select :	Please select :
223	4055 594	PRESSURE PLUG SOCKET HEAD, 1/2"-14NPT,13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: 981-120-005		NO	1	Please select :	Please select :
224	4055 595	RELIEF FITTING, 1/8"-27 NPT,13 5/8" 5K,		NO	1	Please select :	Please select :

		EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-1900085-03					
225	4055 596	PRESSURE PLUG HEX HEAD: 1.00" - 11 1/2 NPT,13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: 981-112-300		NO	1	Please select :	Please select :
226	4055 597	STUD TE: 1- 5/8"-8UNR-2A X 8 3/8" B7, BSL2, XYLAN COATED,13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: DB-1583Z-2		NO	1	Please select :	Please select :
227	4055 598	HEAVY HEX NUT: 1.62"- 8UN-2B, 2H, BSL2, XYLAN COATED,13 5/8" 5K, EQUIPMENT: ANNULAR BOP,		NO	1	Please select :	Please select :

		EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: B- 15Z-2					
228	4055 599	SEAL KIT: ANNULAR, 13 5/8", EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-1002227-1	W-1002227-1	NO	1	Please select :	Please select :
229	4055 601	SEAL: JAW HOLDING CAPSCREW, 13 5/8" 5K, TYPE WGK, LATCHED,13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-1003300	W-1003300	NO	1	Please select :	Please select :
230	4055 603	RELIEF FITTING, 1/8"- 27 NPT,13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE	W-1900085-03	NO	1	Please select :	Please select :

		OILFIELD MACHINE (WOM), P/N: W-1900085-03					
231	4055 608	O-RING, JAW OPERATING SCREW, 13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-1900001-328	W-1900001-328	NO	1	Please select :	Please select :
232	4055 609	O-RING, 13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-37381	W-37381	NO	1	Please select :	Please select :
233	4055 610	U-SEAL, UPPER, 13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-38151	W-38151	NO	1	Please select :	Please select :
234	4055 611	U-SEAL, MIDDLE, 13 5/8" 5K, EQUIPMENT: ANNULAR BOP,	W-38152	NO	1	Please select :	Please select :

		EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-38152					
235	4055 612	U-SEAL, LOWER,13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-38165	W-38165	NO	1	Please select :	Please select :
236	4055 613	HEAD GASKET,13 5/8" 5K, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WGK", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-30738	W-30738	NO	1	Please select :	Please select :
237	4056 780	COUPLER, ALEMITE SAFE VENT, FOR GREASE PUMP, MODEL: FORCE FLOW 100, MAKE: WOM, P/N: 310428	0000000000003 10428	NO	1	Please select :	Please select :
238	4057 133	MAJOR REPAIR KIT, 2- 1/16" 5K, MODEL: 500FE, MAKE: WOM, P/N: W500205DDP	W500205DDPU- MJKIT	NO	1	Please select :	Please select :

		U-MJKIT INCLUDES HARD REDRESS KIT P/N W500205DDP U-MJKIT AND SOFT REDRESS KIT P/N W500205DDP U-MNKIT					
239	4057 134	MINOR REPAIR KIT F/ 2-1/16" - 5K, FOR VALVE, MODEL: 500FE, MAKE: WOM, P/N: W500205DDP U-MNKIT	W500205DDPU- MNKIT	NO	1	Please select :	Please select :
240	4057 135	MAJOR REPAIR KIT, 2- 1/16" 10K, MODEL: 500FE, MAKE: WOM, P/N: W500210DDP U-MJKIT INCLUDES HARD REDRESS KIT P/N W500205DDP U-MJKIT AND SOFT REDRESS KIT P/N W500205DDP U-MNKIT	W500210DDPU- MJKIT	NO	1	Please select :	Please select :
241	4057 136	MINOR REPAIR KIT F/ 2-1/16" - 10K, FOR VALVE, MODEL: 500FE, MAKE: WOM, P/N: W500210DDP U-MNKIT	W500210DDPU- MNKIT	NO	1	Please select :	Please select :
242	4057 137	MAJOR REPAIR KIT F/ 3-1/8" - 5K, MODEL: 500FE, MAKE: WOM, P/N: W500305DDP U-MJKIT INCLUDES HARD	W500305DDPU- MJKIT	NO	1	Please select :	Please select :

		REDRESS KIT P/N W500305DDP U-MJKIT AND SOFT REDRESS KIT P/N W500305DDP U-MNKIT					
243	4057 138	MINOR REPAIR KIT 3- 1/8" 5K, MODEL: 500FE, MAKE: WOM, P/N: W500305DDP U-MNKIT	W500305DDPU- MNKIT	NO	1	Please select :	Please select :
244	4057 139	MAJOR REPAIR KIT, 3- 1/8" 5K, HCR, MODEL: 500FE, MAKE: WOM, P/N: W500305HDD PU-MJKIT INCLUDE HARD REDRESS KIT P/N W500305HDD PU-MJKIT AND SOFT REDRESS KIT P/N W500305HDD PU-MNKIT	W500305HDDP U-MJKIT	NO	1	Please select :	Please select :
245	4057 140	MINOR REPAIR KIT, 3- 1/8" 5K, HCR, MODEL: 500FE, MAKE: WOM, P/N: W500305HDD PU-MNKIT	W500305HDDP U-MNKIT	NO	1	Please select :	Please select :
246	4057 141	MAJOR REPAIR KIT, 4- 1/16" 10K, MODEL: 500FE, MAKE: WOM, P/N: W500410DDP U-MJKIT INCLUDE HARD REDRESS KIT P/N W500410DDP U-MJKIT AND SOFT	W500410DDPU- MJKIT	NO	1	Please select :	Please select :



		REDRESS KIT P/N W500410DDP U-MNKIT					
247	4057 142	MINOR REPAIR KIT F/ 4-1/16" - 10K, FOR VALVE, MODEL: 500FE, MAKE: WOM, P/N: W500410DDP U-MNKIT	W500410DDPU- MNKIT	NO	1	Please select :	Please select :
248	4057 143	MAJOR REPAIR KIT, 2- 1/16" 5K, MANUAL VALVE, MODEL: 200M, MAKE: WOM, P/N: WM700(M)- MJKIT INCLUDE HARD REDRESS KIT P/N WM700(M)- MJKIT AND SOFT REDRESS KIT P/N WM700(M)- MNKIT	WM700(M)- MJKIT	NO	1	Please select :	Please select :
249	4057 144	MINOR REPAIR KIT, 2- 1/16" 5K, MANUAL VALVE, MODEL: 200M, MAKE: WOM, P/N: WM700(M)- MNKIT	WM700(M)- MNKIT	NO	1	Please select :	Please select :
250	4057 145	MAJOR REPAIR KIT, 2- 1/16" 10K, MANUAL VALVE, MODEL: 200M, MAKE: WOM, P/N: WM800(M)- MJKIT INCLUDE HARD REDRESS KIT P/N WM700(M)-	WM800(M)- MJKIT	NO	1	Please select :	Please select :

		MJKIT AND SOFT REDRESS KIT P/N WM800(M)- MKNKIT					
251	4057 146	MINOR REPAIR KIT, 2- 1/16" 10K, MANUAL VALVE, MODEL: 200M, MAKE: WOM, P/N: WM800(M)- MKNKIT	WM800(M)- MKNKIT	NO	1	Please select :	Please select :
252	4057 147	MAJOR REPAIR KIT, 3- 1/16" 10K, MANUAL VALVE, MODEL: 200M, MAKE: WOM, P/N: WM1800(M)- MJKIT INCLUDE HARD REDRESS KIT P/N WM700(M)- MJKIT AND SOFT REDRESS KIT P/N WM1800(M)- MKNKIT	WM1800(M)- MJKIT	NO	1	Please select :	Please select :
253	4057 148	MINOR REPAIR KIT, 3- 1/16" 10K, MANUAL VALVE, MODEL: 200M, MAKE: WOM, P/N: WM1800(M)- MKNKIT	WM1800(M)- MKNKIT	NO	1	Please select :	Please select :
254	4057 149	MAJOR REPAIR KIT, 3- 1/16" 10K, HYD OPERATED VALVE, MODEL: 200M, MAKE: WOM, P/N: WM1800H(M)- MJKIT INCLUDE HARD	WM1800H(M)- MJKIT	NO	1	Please select :	Please select :

		REDRESS KIT P/N WM700(M)- MJKIT AND SOFT REDRESS KIT P/N WM1800H(M)- MKNKIT					
255	4057 150	MINOR REPAIR KIT, 3- 1/16" 10K, HYD OPERATED VALVE, MODEL: 200M, MAKE: WOM, P/N: WM1800H(M)- MKNKIT	WM1800H(M)- MKNKIT	NO	1	Please select :	Please select :
256	4057 151	MAJOR REPAIR KIT, 4- 1/16" 10K, MANUAL VALVE, MODEL: 200M, MAKE: WOM, P/N: WM2300(M)- MJKIT INCLUDE HARD REDRESS KIT P/N WM700(M)- MJKIT AND SOFT REDRESS KIT P/N WM2300(M)- MKNKIT	WM2300(M)- MJKIT	NO	1	Please select :	Please select :
257	4057 152	MINOR REPAIR KIT, 4- 1/16" 10K, MANUAL VALVE, MODEL: 200M, MAKE: WOM, P/N: WM2300(M)- MKNKIT	WM2300(M)- MKNKIT	NO	1	Please select :	Please select :
258	4057 153	MAJOR REPAIR KIT, 4- 1/16" 10K, HYD OPERATED VALVE, MODEL: 200M, MAKE: WOM, P/N: WM2300H(M)- MJKIT	WM2300H(M)- MJKIT	NO	1	Please select :	Please select :

		MJKIT INCLUDE HARD REDRESS KIT P/N WM700(M)- MJKIT AND SOFT REDRESS KIT P/N WM1800H(M)- MKNKIT					
259	4057 154	MINOR REPAIR KIT, 4- 1/16" 10K, HYD OPERATED VALVE, MODEL: 200M, MAKE: WOM, P/N: WM2300H(M)- MKNKIT	WM2300H(M)- MKNKIT	NO	1	Please select :	Please select :
260	4057 155	MAJOR REPAIR KIT, 4- 1/16" 10K, NRV/CHECK VALVE, MAKE: WOM, P/N: WCV2300- MJKIT INCLUDE HARD REDRESS KIT P/N WCV2300- MJKIT AND SOFT REDRESS KIT P/N WCV2300- MKNKIT	WCV2300- MJKIT	NO	1	Please select :	Please select :
261	4057 156	MINOR REPAIR KIT, 4- 1/16" 10K, NRV/CHECK VALVE, MAKE: WOM, P/N: WCV2300- MKNKIT	WCV2300- MKNKIT	NO	1	Please select :	Please select :
262	4057 157	MAJOR REPAIR KIT, 3- 1/8" 5K, NRV/CHECK VALVE, MAKE: WOM, P/N: WCV-490- MJKIT INCLUDE HARD REDRESS KIT P/N WCV490-	WCV-490-MJKIT	NO	1	Please select :	Please select :

		MJKIT AND SOFT REDRESS KIT P/N WCV2300- MKNKIT					
263	4057 158	MINOR REPAIR KIT, 3- 1/8" 5K, NRV/CHECK VALVE, MAKE: WOM, P/N: WCV-490- MKNKIT	WCV-490- MKNKIT	NO	1	Please select :	Please select :
264	4057 697	RETURN FILTER INLINE, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1323	CHY-1323	NO	1	Please select :	Please select :
265	4057 698	HAND PUMP CARBON STEEL , EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1026-1	CHY-1026-1	NO	1	Please select :	Please select :
266	4057 699	RESEVOIR FILTER BREATHING, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE:	CHY-1022	NO	1	Please select :	Please select :

		WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1022					
267	4057 700	RESERVOIR GAUGE LEVEL TEMP SIGHT GLASS, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1331	CHY-1331	NO	1	Please select :	Please select :
268	4057 701	HYD PUMP SECONDARY , EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1360	CHY-1360	NO	1	Please select :	Please select :
269	4057 702	AIR PRESSURE GAUGE 300 PSI PANEL MOUNT, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1018	CHY-1018	NO	1	Please select :	Please select :

270	4057 703	AIR REGULATOR 3/8" NPT PORTS AUTO DRAIN, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CPN-1034	CPN-1034	NO	1	Please select :	Please select :
271	4057 704	ACCUMULATO R5 1-1/4" 5 GAL BLADDER, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1361	CHY-1361	NO	1	Please select :	Please select :
272	4057 705	CHECK VALVE 1/2"TX1/2"T POPPET 1 PSI, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1027	CHY-1027	NO	1	Please select :	Please select :
273	4057 706	HYD PRESSURE GAUGE , EQUIPMENT: REMOTE	CHY-1327	NO	1	Please select :	Please select :

		CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1327					
274	4057 707	RELIEF VALVE CRACKING PRESSURE, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1342	CHY-1342	NO	1	Please select :	Please select :
275	4057 708	ACCUMULATO R GASKET , EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CAC-1008	CAC-1008	NO	1	Please select :	Please select :
276	4057 709	1/2" HOSE ONE END 100 FT, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD	CASY-1010	NO	1	Please select :	Please select :



		MACHINE (WOM), P/N: CASY-1010					
277	4057 710	1/4"HYD HOSE ASSYBOTH END QUICK CONNECT, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C-10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CASY-1020	CASY-1020	NO	1	Please select :	Please select :
278	4057 711	PRESSURE GAUGE PANEL MOUNT, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C-10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1032	CHY-1032	NO	1	Please select :	Please select :
279	4057 712	MECHANICAL DIRECTIONAL VALVE, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C-10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1140	CHY-1140	NO	1	Please select :	Please select :
280	4057 713	QUICK CONNECT NIPPLE 1/2"	CHY-1043	NO	1	Please select :	Please select :

		MALE, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1043					
281	4057 714	QUICK CONNECT NIPPLE 1/2" FEMALE, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1042	CHY-1042	NO	1	Please select :	Please select :
282	4057 715	QUICK CONNECT MALE 1000 PSI, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C- 10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CPN-1007	CPN-1007	NO	1	Please select :	Please select :
283	4057 716	QUICK CONNECT FITTING HP, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT	CHY-1366	NO	1	Please select :	Please select :

		MODEL: C-10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1366					
284	4057 717	PRESSURE GAUGE ANALOG DUAL SCALE, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C-10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1362-A	CHY-1362-A	NO	1	Please select :	Please select :
285	4057 718	1/2" TXT INSTRUMENT NEEDLE VALVE, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C-10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: CHY-1030	CHY-1030	NO	1	Please select :	Please select :
286	4057 719	DAMPENER ASSEMBLY, EQUIPMENT: REMOTE CHOKE PANEL, EQUIPMENT MODEL: C-10152, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE	CHY-1362-1	NO	1	Please select :	Please select :

		(WOM), P/N: CHY-1362-1					
287	4058 565	MAJOR REPAIR KIT, 3- 18" 5K, HYD OPERATED VALVE, MODEL: 200M, MAKE: WOM, INCLUDE HARD REDRESS KIT P/N WM1700H(M)- NL-MJKIT AND SOFT REDRESS KIT P/N WM1700H(M)- NL-MNKIT		NO	1	Please select :	Please select :
288	4058 566	MINOR REPAIR KIT, 3- 18" 5K, HYD OPERATED VALVE, MODEL: 200M, MAKE: WOM, P/N: WM1700H(M)- NL-MNKIT		NO	1	Please select :	Please select :
289	4058 567	MAJOR REPAIR KIT, 3- 1/8" 5K, MANUAL VALVE, MODEL: 200M, MAKE: WOM, INCLUDE HARD REDRESS KIT P/N WM700(M)- MJKIT AND SOFT REDRESS KIT P/N WM2300(M)- MNKIT		NO	1	Please select :	Please select :
290	4058 568	MINOR REPAIR KIT, 3- 1/8" 5K, MANUAL VALVE, MODEL: 200M, MAKE: WOM, P/N: WM1700(M)- NL-MNKIT		NO	1	Please select :	Please select :

291	4058 583	T-NUT 3-1/8"-3K/5K, FOR GATE VALVE 3-1/8"-5K MODEL 500 MANUAL F.E., MODEL: W500305, MAKE: WORLDWIDE OILFIELD MACHINE, P/N: W550305-19DDNL	W550305-19DDNL	NO	1	Please select :	Please select :
292	4059 204	VALVE, MECHANICAL DIRECTIONAL, FOR CHOKE CONTROL PANEL, MODEL: CTRL-10228, MAKE: WOM, P/N: CHY-1033-1	CHY-1033-1	NO	1	Please select :	Please select :
293	4059 462	STEM OPERATING, 3-1/8"-3K/5K MODEL 550, MODEL: 500/550, MAKE: WORLDWIDE OILFIELD MACHINE, P/N: W550305-17DDNL	W550305-17DDNL	NO	1	Please select :	Please select :
294	4059 603	PIN, RAM GUIDE, FOR 13-5/8" BOP RAM - 5000 PSI, MAKE: WOM, P/N: W-30313-01	W-30313-01	NO	1	Please select :	Please select :
295	4059 948	STROKE COUNTER MONITOR, 3 MUD PUMP, FOR CHOKE MANIFOLD PANEL, MODEL: PSC-0317-0076, MAKE: WOM, P/N: ECS101117		NO	1	Please select :	Please select :
296	4060 669	PI BATTERY PACK MAX VOLTAGE 3.9 VDC, MAX	TL-5930	NO	1	Please select :	Please select :

		CURRENT 3.9MA, FOR GAUGE POSITION INDICATOR, MODEL: ECS101138, MAKE: WOM, P/N: TL-5930					
297	4061 456	PACKING ASSEMBLY, 2" OD X 1-1/4" ID FIRESAFE, 4- 1/16" 10K , FOR MANUAL GATE VALVE, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: BY-1024	BY-1024	NO	1	Please select :	Please select :
298	4061 457	GASKET, BONNET, 2- 1/16" 10K , FOR MANUAL GATE VALVE, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: 3453	0000000000000 03453	NO	1	Please select :	Please select :
299	4061 459	KEY, 3-1/16" 15K ADJ DRILLING CHOKE, MAKE: WORLDWIDE OILFIELD MACHINE, P/N: M3426-16	M3426-16	NO	1	Please select :	Please select :
300	4061 460	OPERATING STEM, 3-1/16" 15K ADJ	M3426-28	NO	1	Please select :	Please select :

		DRILLING CHOKE, MAKE: WORLDWIDE OILFIELD MACHINE, P/N: M3426-28					
301	4061 461	SEAL, MANUAL VALVE, 2-1/16" 10K, MODEL 500M, MAKE: WORLDWIDE OILFIELD MACHINE, P/N: PVG-2319	PVG-2319	NO	1	Please select :	Please select :
302	4061 462	SEAL, 4-1/16" 10K , FOR MANUAL GATE VALVE, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: 500M, EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: PVG-2459	PVG-2459	NO	1	Please select :	Please select :
303	4061 564	SEAL KIT, TANDEM BOOSTER, RAM BOP, MODEL: 13- 5/8" 3/5/10 K, MAKE: WOM, P/N: W- 110104-SK		NO	1	Please select :	Please select :
304	4062 169	PISTON, OPERATING, LARG BORE: 13 5/8" 3K-5K WP, TYPE 'WU', BONNET LB, LEFT RWP WU. FOR BOOSTER, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE:	W-2245199-02- 01	NO	1	Please select :	Please select :

		WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-2245199-02- 01					
305	4062 170	SEAL KIT, BONNET, LB, SOFT, BOP 13- 5/8, SUITABLE FOR 3K, 5K, 10K, TYPE - WU. WOM, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: "TYPE "WU", EQUIPMENT MAKE: WOM, P/N: W- 644860-07	W-644860-07	NO	1	Please select :	Please select :
306	4062 511	GASKET, RING JOINT BX155 MAT. INCONEL 825   AS PER API 6A, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WC1- CHKE-AG-01, EQUIPMENT MAKE: WOM, PART MODEL: GASKET INCOTEL 825, PART MAKE: OILFIELD SUPPLIES SERVICES		NO	1	Please select :	Please select :
307	4062 512	GASKET, RING JOINT BX154 MAT. INCONEL 825   AS PER API 6A, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WC1- CHKE-AG-01, EQUIPMENT		NO	1	Please select :	Please select :



		MAKE: WOM, PART MODEL: GASKET INCOTEL 825, PART MAKE: OILFIELD SUPPLIES SERVICES					
308	4062 513	GASKET, RING JOINT BX152 MAT. INCONEL 825   AS PER API 6A, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WC1- CHKE-AG-01, EQUIPMENT MAKE: WOM, PART MODEL: GASKET INCOTEL 825, PART MAKE: OILFIELD SUPPLIES SERVICES		NO	1	Please select :	Please select :
309	4062 514	GASKET, RING JOINT RX37 MAT. INCONEL 825   AS PER API 6A, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WC1- CHKE-AG-01, EQUIPMENT MAKE: WOM, PART MODEL: GASKET INCOTEL 825, PART MAKE: OILFIELD SUPPLIES SERVICES		NO	1	Please select :	Please select :
310	4062 515	GASKET, RING JOINT RX39 MAT. INCONEL 825   AS PER API 6A, EQUIPMENT:		NO	1	Please select :	Please select :

		WELL CONTROL SYSTEM, EQUIPMENT MODEL: WC1- CHKE-AG-01, EQUIPMENT MAKE: WOM, PART MODEL: GASKET INCOTEL 825, PART MAKE: OILFIELD SUPPLIES SERVICES					
311	4064 311	O RING, OPER PISTON ROD TO INT FLG, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-18492-90	W-18492-90	NO	1	Please select :	Please select :
312	4064 312	RING, PLASTIC PACKING , EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-12469-24	W-12469-24	NO	1	Please select :	Please select :
313	4064 313	RING, PLASTIC ENERGIZING, 13-5/8" 3K-15K EA 2 23.850 47.700, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU",	W-18586-01	NO	1	Please select :	Please select :

		EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-18586-01					
314	4064 314	SEAL BACKUP, 11" 15K, 13-5/8" 10K-15K EA 4 29.440 117.760, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-21792-26	W-21792-26	NO	1	Please select :	Please select :
315	4064 315	LIP SEAL, OPERATING PISTON, TYPE "WU", EA 2 57.810 115.620, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-710538	W-710538	NO	1	Please select :	Please select :
316	4064 316	WEAR RING, OPER PISTON, EA 2 77.460 154.920, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE	W-49223-01	NO	1	Please select :	Please select :

		OILFIELD MACHINE (WOM), P/N: W-49223-01					
317	4064 317	SEAL RING, TAIL ROD, TYPE "WU", EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-212741-34-00-01	W-212741-34-00-01	NO	1	Please select :	Please select :
318	4064 318	O-RING, BONNET BOLT RETAINER , EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-702645-23-91	W-702645-23-91	NO	1	Please select :	Please select :
319	4064 319	O-RING, RAM CHG CYL TO INT FLG, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-702645-33-81	W-702645-33-81	NO	1	Please select :	Please select :
320	4064 320	O-RING, WIPING , EQUIPMENT: ANNULAR	W-702645-33-71	NO	1	Please select :	Please select :

		BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-702645-33- 71					
321	4064 321	O-RING RAM CHG PISTON TO BODY , EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-702645-32- 81	W-702645-32-81	NO	1	Please select :	Please select :
322	4064 322	O-RING RAM CHG CYLINDER TO INT FLG, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-702645-34- 61	W-702645-34-61	NO	1	Please select :	Please select :
323	4064 323	O-RING RAM CHG PISTON ROD TO INT FLG , EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE:	W-702645-33-31	NO	1	Please select :	Please select :

		WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-702645-33- 31					
324	4064 324	O-RING OPERATING CYLINDER , EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-702645-45- 51	W-702645-45-51	NO	1	Please select :	Please select :
325	4064 325	SEAL RING, CONNECTING ROD, TYPE "WU", EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-212741-36- 00-01	W-212741-36- 00-01	NO	1	Please select :	Please select :
326	4064 326	PACKING PLASTIC , EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-7650-25	W-7650-25	NO	1	Please select :	Please select :
327	4064 327	O-RING, RAM CHG CYLINDER TO	W-702645-42-51	NO	1	Please select :	Please select :

		BONNET, EQUIPMENT: ANNULAR BOP, EQUIPMENT MODEL: TYPE "WU", EQUIPMENT MAKE: WORLDWIDE OILFIELD MACHINE (WOM), P/N: W-702645-42- 51					
328	4064 488	RING, RETAINER SPIROLOX #RRN-975, 3"- 15K HYD. CHOKE, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: 3-1/8"- 5K, EQUIPMENT MAKE: SRI ENERGY, P/N: WCR-501-6	WCR-501-6	NO	1	Please select :	Please select :
329	4064 501	GATE 3-1/16"- 10/15K HYD. CHOKE, EQUIPMENT: REMOTE CHOKE, EQUIPMENT MODEL: 3-1/8"- 5K, EQUIPMENT MAKE: SRI ENERGY, P/N: WCR-501-20	WCR-501-20	NO	1	Please select :	Please select :
330	4064 576	GASKET SEAT, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, PART MODEL: WA23003-NL, P/N: BY-0045	BY-0045	NO	1	Please select :	Please select :

331	4064 577	THUMB SCREW 3/8", EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, PART MODEL: WA23003-NL, P/N: BY-0382	BY-0382	NO	1	Please select :	Please select :
332	4064 666	STEM PACKING, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, P/N: 3472	0000000000000 03472	NO	1	Please select :	Please select :
333	4064 667	THRUST BEARING, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, P/N: 3482	0000000000000 03482	NO	1	Please select :	Please select :
334	4064 668	BEARING RACE, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, P/N: 3492	0000000000000 03492	NO	1	Please select :	Please select :
335	4064 675	BEARING, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, PART MODEL: WA23003-NL, P/N: SW-3938	SW-3938	NO	1	Please select :	Please select :



336	4064 676	SPACER RING, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, PART MODEL: WA23003-NL, P/N: SW-3939	SW-3939	NO	1	Please select :	Please select :
337	4064 677	RETAINER RING, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, PART MODEL: WA23003-NL, P/N: BY-0361	BY-0361	NO	1	Please select :	Please select :
338	4064 678	SEAL RING, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, PART MODEL: WA23003-NL, P/N: PT-3529	PT-3529	NO	1	Please select :	Please select :
339	4064 679	STEM ADJUSTABLE, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, PART MODEL: WA23003-NL, P/N: M0491G- 13B	M0491G-13B	NO	1	Please select :	Please select :
340	4064 680	PACKING POLYPACK, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4-	TD20009	NO	1	Please select :	Please select :

		1/16" 10K, EQUIPMENT MAKE: WOM, P/N: TD20009					
341	4065 939	CHOKE, ADJ. DRILLING, 3 1/8"-5K, (WOM MAKE) P/N M6116-N MINOR REPAIR KIT, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WC1- CHKE-AG-01, EQUIPMENT MAKE: WOM, P/N: M6116- SEAL KIT	M6116-SEAL KIT	NO	1	Please select :	Please select :
342	4065 942	CHOKE, HYD. DRILLING, 3 1/8"-5K, (WOM MAKE): P/N WCR490-NM MAJOR REPAIR KIT, EQUIPMENT: WELL CONTROL SYSTEM, EQUIPMENT MODEL: WC1- CHKE-AG-01, EQUIPMENT MAKE: WOM, P/N: WCR490M-KIT	WCR490M-KIT	NO	1	Please select :	Please select :
343	4065 973	SEAL 2-353, EQUIPMENT: CHOCK MANIFOLD, EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, PART MODEL: WA23003-NL, P/N: PN-3539	PN-3539	NO	1	Please select :	Please select :
344	4065 974	PACKING ASSEMBLY 3"- 5K HYD. CHOKE, EQUIPMENT: CHOCK MANIFOLD,	HSP-490	NO	1	Please select :	Please select :

		EQUIPMENT MODEL: 4- 1/16" 10K, EQUIPMENT MAKE: WOM, PART MODEL: WA23003-NL, P/N: HSP-490					
--	--	---	--	--	--	--	--

### Annexure - 02 Expression of Interest

Abraj Energy Services S.A.O.C.	
<b>FROM:</b>	Supply Chain Department
<b>DOCUMENT:</b>	AES-02 / Expression of Interest
<b>TENDER REFERENCE</b>	JTC.241230.OPS.8000431 Rate Agreement for Supply of WOM Spares

Dear Sir/Madam,

You are hereby invited to express your interest (EOI) for the above mentioned tender and confirms the following:

To register your interest please complete the forms listed below duly signed by authorized signatory and submitted within three (3) days of reviewing the Invitation to Tender (ITT) to:

[Contract@abrajenergy.com](mailto:Contract@abrajenergy.com)

1. Annexure-03 Interest to Participate in Tender and Confidentiality Declaration for Tender
2. Annexure-04 Declaration to Comply with Company Requirement

Please note that all submissions and communications pursuant to this EOI notice shall bear following caption the Tender Reference

Our pre-qualification and tendering processes shall follow your EOI. If we do not receive any response from you on or before the above mentioned date, you will not be eligible to participate in this tender.

Abraj takes this opportunity to wish you all the best and we hope to deal with you soon.

Regards,

Supply Chain Department

Abraj Energy Services S.A.O.C.

**Annexure – 03 Interest to Participate in Tender and Confidentiality Declaration for Tender**

Abraj Energy Services S.A.O.C.	
<b>FROM:</b>	Supply Chain Department
<b>DOCUMENT:</b>	AES-03 / Interest to Participate in Tender and Confidentiality Declaration for Tender
<b>TENDER REFERENCE</b>	JTC.241230.OPS.8000431 Rate Agreement for Supply of WOM Spares

Attention: Contracts Officer

Dear Sir/Madam,

Having reviewed the Tender Document our company would like to register our interest in bidding for above referenced tender.

We the undersigning party (hereinafter called the 'Bidder') hereby represents and warrants to ABRAJ ENERGY SERVICES SAOC, being a company incorporated under the laws of the Sultanate of Oman having its Head Office at Al-Mawaleh, PO Box 1156, PC 130, Azaiba, Muscat, Sultanate of Oman (hereinafter called the 'Company') to be unconditionally bound by the following terms and conditions with respect to the receipt, review, and treatment of all information and documents provided to the Bidder by or on behalf of the Company, including but not limited to the Tender Documents, in connection with the Tender Reference mentioend above.

- 1.1. Confidential Information shall mean all knowledge, data or information in connection with this Tender or the Project, which from time to time may be disclosed to the Bidder by Company, or on behalf of Company, in writing, including drawings, magnetic tapes, computer programs or in any other way, as well as all knowledge, data or information derived there from, to the extent that such knowledge, data or information at the time of such acquisition or disclosure is not either already in the unrestricted possession of Contractor or part of public knowledge or literature.
- 1.2. Confidential Record shall mean all documents and any other material containing Confidential Information.
- 2.1. The Bidder shall:
  - (a) preserve and cause its employees, potential Subcontractors and Manufacturers to preserve the secrecy of any Confidential Information;
  - (b) not disclose, except with the prior written consent of the Company, to any Third Party any Confidential Information or Confidential Record or enable any Third Party to note the fact that the Bidder has been invited to submit a Tender for the work for any purpose other than the performance of the work or the preparation and submission of a Tender for the work;

- (c) not, except with the prior written consent of the Company, reproduce, copy or use, or disclose to, place at the disposal of or use on behalf of any Third Party or enable any Third Party to peruse, copy or use, any Confidential Information for any purpose other than the performance of the work or the preparation and submission of a Tender for the work.
- 2.2. The Bidder may disclose Confidential Information or Confidential Records as required by law or to a court or tribunal of competent jurisdiction if an order for such disclosure is made and, in those circumstances, only to the extent necessary by law or to satisfy such order for disclosure. The Bidder shall notify the Company prior to any such disclosure and shall provide all reasonable assistance as may be requested by the Company to prevent or minimize such disclosure.
- 2.3. The undertakings under Clause 2.1 above shall continue so far as the Confidential Information in question has:
  - (a) not become part of public knowledge or literature, or
  - (b) not been disclosed to the Bidder by a Third Party (other than one disclosing on behalf of the Company) whose possession of such information is lawful and who is under no secrecy obligation with respect to the same.
- 3.1. All intellectual property rights, including but not limited to copyright, patents, trademarks, moral rights and industrial design rights in any Confidential Record shall, in the absence of any express provision to the contrary thereon, be vested in the Company.
- 4.1. In the event that it is decided by the Company that the tendered work will be entrusted to another Bidder, or if the tender process is terminated or suspended by the Company for any reason whatsoever, the Bidder shall, upon receipt of a written notification thereof from the Company, return to the Company the Tender Documents as well as any Confidential Record pertaining thereto and delete any electronic record thereof in Bidder's possession.
- 5.1. The Bidder shall ensure that if, under the terms of this Confidentiality Declaration, any of the Confidential Information comes to the knowledge of and/or into the possession of any Third Party, the Bidder shall require from such Third Party that it shall abide by identical stipulations to those contained in this Confidentiality Declaration.
- 5.2. Notwithstanding the above clause 5.1, the Bidder shall at all times remain liable to Company for any breach of the obligations under this Confidentiality Declaration, irrespective of whether or not the disclosure is actually caused by the Bidder or a Third Party to whom the Bidder has disclosed the Confidential Information.
- 6.1 This Confidentiality Declaration shall be governed by and construed in accordance with the Laws of the Sultanate of Oman.
- 6.2 In the event of a dispute arising under or in connection with this Confidentiality Declaration, including with respect to the existence, operation or validity of this Confidentiality Declaration, such dispute shall be resolved by arbitration in accordance with the arbitration proceedings and shall be conducted in the English language and the seat of the arbitration shall be Muscat, Sultanate of Oman.

Yours faithfully for: .....

Signature & date: .....

Full Name: .....

Position: .....

Stamp of Bidder

**Annexure – 04 Declaration to Comply with Company Requirement**

Whereas M/s. .... confirm to comply with company requirements as per below checklist:

<b>Item Description</b>	<b>Required by Company (Yes/No)</b>	<b>Supplier Confirmation (Yes/No)</b>	<b>Comments</b>
<b>Compline to Abraj Terms and Conditions</b>	<b>Yes</b>		
<b>Tender Fees</b>	<b>No</b>		
<b>Bidder to Submit Tender Bond as per clause 2.15 of this document</b>	<b>No</b>		
<b>Bidder to Submit Performance Bond as per clause 2.16 of this document</b>	<b>No</b>		
<b>Bidder to Submit Advance Payment Bank Guarantee (if any advance payment requested)</b>	<b>Yes</b>		
<b>Bidder to submit Omanisation Certificate</b>	<b>Yes</b>		

Failure to comply with the above checklist will result in Bidder being disqualified from the tendering process.

Agreed and accepted this ..... Day of..... [Insert year]

For and on behalf of Bidder:

**Annexure – 05 Form of Tender Bond**

**Abraj Energy Services (SAOC)**  
 Al-Mawaleh, PO Box 1156, PC 130, Azaiba,  
**Sultanate of Oman**

**Tender Bond No. ....**

By this bond we.....whose address  
 is.....hereby guarantee  
 Messrs.....  
 of..... and hold at  
 your disposal the sum of R.O. ....  
 being .....1.....% of the Tender Value from ..... until .....a total period of  
 ninety (90) calendar days.

This bond shall be free of interest and payable in cash on your first written demand in the event of the Bidder either withdrawing his Tender within a period of (90) calendar days from the date for the receipt of Tenders or failing to provide a Performance Bond within ten (10) working days of acceptance of the Tender whichever date is earlier without any reference to or contestation on behalf of the Contractor.

This bond should be returned to us upon its expiry or upon fulfilment of our undertaking, whichever is the earlier.

Authorized Signatures

(To be issued by a locally registered bank)



## Annexure – 06 Form of Performance Bond

[LETTERHEAD OF BANK]

Guarantee No. [Insert]

[Date]

[Insert Name]

Attention: [Insert]

[Insert Address]

[Insert Address]

Subject: **Bank Guarantee/Performance Bond**  
**Contract No. [Insert] dated [Insert] between Abraj Energy Services and [Insert Name of Contractor]**

WHEREAS, [Insert name of Contractor], having its office at \_\_\_\_\_  
\_\_\_\_\_ (the “Contractor”) and Abraj Energy Services LLC (the  
“Company”), have entered into Contract N. [Insert] dated [Insert] (the “Contract”) on the condition  
that the Contractor provides the Company, upon execution of the Contract, an unconditional,  
irrevocable on-demand guarantee by [Insert Name of the Bank], [Insert Address of the Bank]  
("Guarantee") in order to guarantee the fulfilment by the Contractor of all of its obligations under the  
Contract.

NOW THEREFORE, we, [Insert Name of the Bank], having its registered office at [Insert] (the  
“Guarantor”), on condition that the Company and the Contractor, in fact, enter into the Contract, do  
hereby unconditionally and irrevocably undertake and guarantee to pay the Company an amount or  
amounts up to [Insert amount 5% of the value of the contract], the exact amount or amounts to be  
solely determined by the Company, immediately upon first written demand by the Company for any  
such amount or amounts, notwithstanding any objection or contestation by the Contractor.

The Guarantor hereby waives any right it may have to first require the Company to proceed against or  
enforce any other rights or other guarantee or security with respect to or claim payment from the  
Contractor before making a demand against or claiming from the Guarantor hereunder. Furthermore,  
the Guarantor’s obligations hereunder shall not be exonerated by the following described actions,  
circumstances, matter or thing which, but for this provision, might operate to release or otherwise  
exonerate the Guarantor from its obligations, including without limitation and whether known or not  
known to the Guarantor or the Company:

1. Any amendment, modification, extension, indulgence, time, waiver or concession granted to the Contractor, whether as to payment, time performance, or otherwise, under the Contract;
2. Any legal limitation, disability, incapacity or other similar circumstances relating to the Contractor; and/or
3. Any unenforceability or invalidity of any of the Contractor’s obligations to be performed by it under the Contract.

This Guarantee shall be governed by and shall be construed in accordance with the laws of [the Sultanate of Oman], except for the conflict of law principles that would cause the laws of another jurisdiction to apply.

This Guarantee shall be valid from the date first above written and shall remain in full force and effect for [insert date or duration]. Upon expiry of the said [date/duration], the Guarantee shall be null and void without the necessity of it being returned to us.

Yours faithfully,  
[Insert Name of the Bank],

Signed by: \_\_\_\_\_

Name: \_\_\_\_\_

Title: \_\_\_\_\_

And Authorized Signatory

**Annexure – 07 Form of Advance Payment Bond**

**Abraj Energy Services (SAOC)**

Al-Mawaleh, PO Box 1156, PC 130, Azaiba,

**Sultanate of Oman**

**Advance Payment Bond No.....**

Whereas M/s ..... (Hereinafter called the Contractor) has been awarded a Contract dated ..... for implementation, completion and maintenance of ..... Project as described in the contract for the total Contract Price of R.O. .... (Omani Rials ..... Only) and in consideration of your making an advance payment of R.O. .... (Omani Rials ..... Only) to the Contractor being (10%) of the Contract Price, by this bond, we ..... whose address is

.....  
guarantee to pay you a sum not exceeding R.O. .... (Omani Rials ..... Only) on your first written demand without any reference to or contestation on behalf of the Contractor.

It is understood that our liability towards you will be progressively reduced by the amount repaid to you by the Contractor as contained in the Certificates and Payment against the said advance payment.

The bond will be effective from ..... and shall be valid until ....., or until the amount of advance payment is fully recovered, whichever occurs later.

This bond should be returned to us upon its expiry or upon fulfillment of our undertaking whichever is the earlier.

Authorised Signatories

(To be issued by a locally registered bank)

Place:

Date:

## Annexure – 08 In Country Value (ICV)

## 1- Workforce: Number of Omanis Employed

Table A - : WORKFORCE related to execution of this specific contract duration with details of Main/Lead Contractor or Sub-Contractor.

	Workforce Category	Senior Management			Professional			Supervisory			Skilled/Semi Skilled		
		HD	MH	CP	HD	MH	CP	HD	MH	CP	HD	MH	CP
Contractor	Omanis												
	Expatriate												
Sub-Contractor	Omanis												
	Expatriate												

## 2- Use of Local Goods/Services

Bidder must provide details in the format below showing local goods/services proposed to be utilized in the performance of the Services. If none: Bidder shall so state.

## a- Goods Made-in-Oman

#	Goods Description	Manufacturer /Provider	Address	Quantity	% of total quantity sourced from local manufacturer	Total value of local manufactured goods
1						
2						
3						

## b- Goods Procured in Oman

#	Goods Description	Location of International Manufacturer	Local Supplier Address	Quantity	% of total Contract quantity to be local supply	Total value of local manufactured goods
1						
2						
3						

Summary of Tables A & B		
Total Value of Goods Made in Oman (OMR / USD)	Total Value of Goods Procured in Oman (OMR / USD)	Total Value of Goods Procured from Overseas (OMR / USD)
\$0	\$0	\$0

## c- Local Services Obtained in Oman

#	Type of Service	Proposed Subcontractor Address	Value added	% of total Contract value
1				
2				
3				
4				

Summary of Tables C	
Total Value of Local Sourcing (USD / OMR)	Total Value of Overseas Sourcing (OMR / USD)
\$0	\$0

**ICV Terminologies/Definitions****Table B - Work Force**

**HD stands for Headcount:** "Headcount" means the number of full-time equivalent employees or in-house Contractors/agency staff within the Contractor or 3rd Party Sub-Contractor who will be involved in execution of the Contract.

**MH stands for Man-hours:** "Man-hours" means the number of hours of work undertaken in execution of the Contract (only the actual hours written, or to be written, to Contract execution are included).

The method of calculation and reporting is as follows;

$MH = \text{Contract Duration} \times \text{number of headcount of that category}$

For example, contract awarded for a period of 4 years, with 2 professional resources working full time on the execution of the contract:

$4 \text{ years} \times 12 \text{ months} \times 30 \text{ days} \times 8 \text{ hours} \times 2 \text{ professionals} = 23,040 \text{ Manhours}$

**CP stands for Compensation:** "Compensation" means the sum of Man hours multiplied by an average all-inclusive average hourly rate. Average hourly rate calculated from Gross Salaries pro rated.

The currency shall be in USD.

For example, contract listed the 2 headcount Professional as Drilling Engineer and Chemical Engineer with a monthly salary of \$2,000 and \$1,800 respectively. The total monthly salary shall be inclusive of PASI and other permanent allowances such as Housing and Transport allowance.

The formula to calculate the average hourly compensation rate will be as follows:

Drilling Engineer Monthly salary divided by man-hours working per month:  $2000 \text{ USD} / (22 \text{ days} \times 8 \text{ hours}) = 11.4 \text{ USD as hourly rate}$

Chemical Engineer Monthly salary divided by man-hours working per month:  $1,800 \text{ USD} / (30 \text{ days} \times 8 \text{ hours}) = 7.5 \text{ USD as hourly rate}$

Total hourly rate for both resources =  $11.4 + 7.5 = 18.9$

Average hourly rate for both resources =  $18.9 / 2 = 9.5$

The compensation per hour as calculated above to be included shall 9.5 USD/hour

**JOB POSITIONS**

**6. "Senior Management"** means a member of the decision-making executive of a function within Contractor or sub-Contractor Company. -CEO and all managers titles who reported to CEO. HR Managers, Admin manager, finance manager, project manager etc..

**7. "Professional"** means an individual who has completed bachelor degree related tertiary education and achieved professional certifications status within a professional body. Includes chartered engineers and accountants, lawyers, architects, procurement professionals and Engineer.

**8. "Supervisory"** means a worker who manages a team of at least two subordinates (but who is not considered part of the Senior Management team, nor a Professional). Supervisors include construction foreman, equipment overseers, business administration team leaders etc.

**9. "Skilled"** means a worker with a high level of technical expertise accumulated over a number of years (but not a member of a recognised 'profession'). A skilled worker may have attended a Technical College or learned their skill via a formal apprenticeship or on-the-job over a number of years. Includes: electricians, scaffolders, welders, crafts, business admin, personnel assistants, computer programmers, equipment and machinery operators.

**10. "Semi-skilled"** means workers with a skill set acquired in a short space of time (a few weeks or months). Following short periods of training a casual labor may become semi-skilled, thus demonstrating how the Contract has contributed to human capacity in Oman. Semi-skilled positions include secretaries, drivers, meet and greet services, fencing, block laying, basic construction skills etc.

## Annexure – 09 Clarification Request

Tender Reference: JTC.241230.OPS.8000431 Rate Agreement for Supply of WOM Spares

1	<p><u>Question Received XX/XX/XXXX</u></p> <p><b><u>Article X.X.X</u></b></p> <p>...</p> <p><u>Company Response Dated XX/XX/XXXX</u></p> <p>...</p>
2	<p><u>Question Received XX/XX/XXXX</u></p> <p><b><u>Article X.X.X</u></b></p> <p>...</p> <p><u>Company Response Dated XX/XX/XXXX</u></p> <p>...</p>
3	<p><u>Question Received XX/XX/XXXX</u></p> <p><b><u>Article X.X.X</u></b></p> <p>...</p> <p><u>Company Response Dated XX/XX/XXXX</u></p> <p>...</p>
4	<p><u>Question Received XX/XX/XXXX</u></p> <p><b><u>Article X.X.X</u></b></p> <p>...</p> <p><u>Company Response Dated XX/XX/XXXX</u></p> <p>...</p>

## Annexure – 10 Pricing Schedule

<b>Contract Period</b>	<b>2 Years + 2 Years Optional</b>
<b>Delivery Period</b>	
<b>Delivery Term</b>	
<b>Payment Term</b>	
<b>Bid Validity</b>	<b>90 day</b>



**Annexure - 11 Tender Strategy for Evaluation of bid**

Abraj Management had followed the tendering strategy as per the tender procedure which forms part of the Abraj Tender Policies and Procurement (ATPP).

**The process followed was the following:-**

1. Tender for purchase of equipment and materials or availing of Services and includes Purchase Order, Service Order or other arrangement will sent seeking Technical and commercial bids in a two separate sealed envelopes which are submitted in a sealed envelope or electronic mode.
2. The technical bids will evaluated as per the evaluation process defined below. We have tender opening protocol duly signed by the authorized persons as per ATPP.
3. The Commercial bids will opened for the technical qualified bidders only.
4. The Commercial bids will be reviewed and evaluated. The best offer will be awarded the Contract after evaluation and approval from Abraj Management Team.
5. Letter of Intent (LOI) has been issued to the successful bidder followed by execution of Contract wherever required.

**Process for Evaluation of bid**

The Technical Evaluation Process for the different types of bids will be carried out in the following steps:

1. Opening of the Technical Bids.
2. Analysis of the Technical Bids.
3. Gather all missing information from the technical bids.
4. Sending clarifications to those bidders who have not been disqualified initially.
5. Receive clarifications.
6. Set weightage for scoring based on importance of each evaluation criteria.
7. Evaluate data and score.
8. Finalize Technical Evaluation.
9. Minimum Technical Score to be obtained is 70 % to be Eligible for getting qualified for Commercial Bid Evaluation. For bidders who are technically disqualified, their commercial bid will not be opened.
10. Whoever is technically qualified, all are treated at par for commercial evaluation and L-1 bidder would be awarded the contract.

11. The Company reserves the right to award the contract in the best interest of the company to any bidder other than L-1 without assigning any reason whatsoever.

### **Technical Methodology**

At first, Bidders shall be evaluated on technical proposals in accordance with Evaluation Criteria as described in the Tender Document.

Each of technical proposals shall be evaluated on the basis of the Bidder's degree of compliance, with requirements as specified in the Tender Document including the Specifications. Bidder who achieves the Technical evaluation threshold will be evaluated commercially.

The evaluation shall consist of

#### Technical Proposal Evaluation

### **1. Compliance & Evaluation Criteria**

#### **Compliance**

No.	Criteria	Yes/No
1	Authorization letter from OEM if supplier not the OEM	
2	Submit a confirmation letter to Confirm providing COC when Abraj request in the purchasing order.	

#### Technical Criteria Model

No.	Criteria			
1	Lead time of Delivery	Delevery the Items within 7 weeks	Deliver the Item within 8 to 9 weeks	Deliver the item within 10 to 11 weeks
2	Warranty Period	Warranty Period 1 Year	Warranty Period 6 Month	Warranty Period 2 Month

**Cut off 70%**

#### Financial Proposal Evaluation

Lowest bid ranked higest

**Annexure – 12 Standard Terms and Conditions****Annexure - 13 In Country Value**