Note:

Please confirm your interest to participate in this tender through email to Contract@abrajenergy.com and to submit the EOI & confidentiality declaration forms to be duly filled and send to us for our records within 3 days of receiving this invitation.

You will receive a link to submit your proposal through SAP Ariba System

The submission deadline is as per SAP Ariba System





Tender Document

Tender No. STC.250618.SCM.8000481

Tender Title: Rate Agreement for Long Rigs Move with Accessories

STC.250618.SCM.8000481 Page 2 of 47



Contents

1. INVITATION TO TENDER	4
2. INSTRUCTIONS TO BIDDERS	5
3. ABRAJ STANDARD TERMS & CONDITIONS	13
FORM OF TENDER	14
Annexure- 01 Scope of Work	16
Annexure - 02 Expression of Interest	16
$Annexure-03\ Interest\ to\ Participate\ in\ Tender\ and\ Confidentiality\ Declaration\ for\ Tender\ and\ Declaration\$	r32
Annexure – 04 Declaration to Comply with Company Requirement	34
Annexure – 05 Form of Tender Bond	35
Annexure – 06 Form of Performance Bond	36
Annexure – 07 Form of Advance Payment Bond	38
Annexure – 08 In Country Value (ICV)	39
Annexure – 09 Clarification Request	42
Annexure – 10 Pricing Schedule	43
Annexure - 11 Tender Strategy for Evaluation of bid	45
Annexure – 12 Standard Terms and Conditions	47
Annexure - 13 In Country Value	47



1. INVITATION TO TENDER

Abraj Energy Services SAOC "the Company" invites 'Bidder' to Tender for the Work or Services in accordance with the terms and conditions set down in the Tender Documents. If you are a successful Bidder you shall be required to enter into a Contract in accordance with the Form of Agreement.

STC.250618.SCM.8000481 Rate Agreement for Long Rigs Move with Accessories

There should be no indications or markings on envelopes or the parcel, which may reveal the identity of the Bidder except Tender No and Title. The parcel should be delivered on the date and time as specified in the advertised invitation of this Tender and should be addressed to:

Abraj Energy Services (SAOG) Al-Mawaleh, PO Box 1156, PC 130, Azaiba, Sultanate of Oman

Abraj Energy Services SAOC is not bound to accept the lowest Tender or award the full Bidder scope of work and reserves the right to reject any or all Tenders without assigning any reason

STC.250618.SCM.8000481 Page 4 of 47



2. INSTRUCTIONS TO BIDDERS

2.1 General

Bidders must notify the Company immediately if they find discrepancies omissions or ambiguities in the description of the services or specifications of goods.

Bidders should note the restrictions set out in the Contract regarding the subcontracting and assignment of any part of the Contract to other companies.

Bidders should also note those terms peculiar to the conducting of services in the Sultanate of Oman, including the requirements set out in the Contract for use of Omani supplies, equipment, machinery, consumables, Omani workers and subcontractors, and the importation of materials, equipment and consumables.

By submitting a Tender, the Bidder is deemed to have made the necessary allowances in the Tender Price for adhering to all laws, rules, regulations, Policies, and procedures applicable in the Sultanate of Oman.

Clarification Requests: All questions or communications regarding this Invitation to tender shall be directed by e-mail to Contract@abrajenergy.com before the clarification closing date.

Any addendums, clarifications or any other correspondence will be issued and sent via email to all Bidder during the tendering period.

The Tender Documents and all Tender submissions are to be made in the English language.

2.2 Expression of Interest

The bidder will confirm the Express of Interest (EOI) for the Tender as per Annexure-02 and provide the documents as per following:

To register your interest please complete the forms listed below duly signed by authorized signatory and submitted within three (3) days of reviewing the Invitation to Tender (ITT) to:

Contract@abrajenergy.com

1. Annexure-03 Interest to Participate in Tender and Condifentiality Declaration (Form #AES-03) 2. Annexure-04 Declaration to Comply with Company Requirement (Form # AES-04)

2.3 Confidentiality

All recipients of tender documents (whether they submit Tenders or not) shall treat the details of the documents as private and confidential.

During the tender period, the Bidder shall not communicate with anyone related to or deemed to be related to the owner or custodian of the project unless expressly so directed by the Abraj Contract department or where such communication shall constitute an enquiry as set down in these instructions.

STC.250618.SCM.8000481 Page 5 of 47



2.4 Clarification Requests

All Clarification Requests regarding this Tender shall be submitted by Bidder in the format as included in Annexure 09.

The request for the extension of Submission Bid will be provided well within 5 days from receipt of the Tender Document and the extension of Bid will be requested in same form of Annexure-09.

Company reserves the right not to entertain any Clarification Request received by Company after the Clarification Request Closing Date stipulated in the Tender schedule.

Addenda to the Tender Documents may be issued prior to the date of delivery of Tenders for the purpose of amending or clarifying the Tender Documents. Should there be any doubt or obscurity as to the meaning of the Tender Documents, or as a request for a site visit, or as to anything to be done under the Contract or concerning these instructions, or any other matter, the Bidder must set forth in writing such doubt or obscurity and deliver the same to Abraj Tender Committee, not later than ten (10) working days before the date fixed for the submission of Tenders. If considered appropriate a reply in the form of a Circular Letter or Addendum will be distributed to all Bidders who have obtained the Tender Documents.

Company will endeavor to revert within 2-3 working days from receipt of Clarification submissions as per Tender Schedule below.

2.5 Preparation of Bids

The scope of work has been attached herein in Annexure- 01. The technical Bid should be provide to meet the requirement specified in scope of work.

Any bid exceptions must be attached to the bid. Exceptions to the provisions of the contract will not be accepted by Company for review or negotiation after the bid closing time. Exceptions shall be accompanied by complete information on the nature and extent of the proposed exception and the consequent impacts to the prices, schedule or other aspect of the bid.

Bidders will not be compensated for the cost of preparing a bid, including, without limitation, any travel costs, whether successful or unsuccessful and regardless of whether Company chooses not to award the contract.

Bidders are encouraged to provide any additional information helpful to Company in evaluating their bids.

Bidder shall submit their bid in accordance with Tender documents and provide information as per attached Annexures wherever required.

Bidder shall ensure upon receipt that the copy of the Tender Documents has received in complete and inform if they have not received any of mentioned above to Contract Administration on email address Contract@abrajenergy.com with five (5) days after received of mail.

All copies shall be properly executed, all blank spaces shall be filled in, and any interlineations, alterations, or erasures shall be formally explained and initialed by the Bidder. Failure to comply with these requirements may be cause for rejection of the bid.

STC.250618.SCM.8000481 Page 6 of 47



Bid may not be considered unless they are in conformity with the Tender Documents. You are specifically advised that evaluation of BID shall include the degree of exceptions taken (if any) to the Body of terms and conditions.

Bidder shall confirm acceptance of the proposed terms and conditions together with any exceptions, clearly shown in the Tender documents. Partial or incomplete BID received after the stated due time may be rejected.

Each Bidder shall give the full legal name, registered number, place of incorporation and registered office address of the Bidder. Where the Bidder operates under any trading name this also shall be stated, as shall be any trading or mailing address if different to the registered office address.

BID shall be written in English and labelled with the name of the part inside.

The Bidders should Submit following documents in the Technical Bid submission:-

- a. Maximum technical information of all the services or equipment covering the Scope of work as per attached Annexure-01.
- Specification, brand name, manufacturer name, material detailed, etc.
 maximum information of each component or part of all equipment or assembly of
 Equipment.
- c. List of Certificates. If possible, sample of certification.
- d. Country of Origin of Raw Material and Assembly of equipment.
- e. Product drawing or assembly drawing with maximum information.
- f. Part Catalogue or Product catalogue.
- g. Manufacturer experience detailed.
- h. List of Customer to whom you are dealing.
- i. Any other information which can be useful for technical evaluation of scope of work as per attached Annexure- 01
- j. Deviation to our requirement will be marked separately and any change in price will be provided in Commercial BID.
- k. For any additional Item or scope of work should be specified with optional price.
- I. Bidder should provide detailed product specification along with catalogue copy in Technical BID.
- m. All items should be supplied as per latest standard of American Petroleum Institute.
- n. This is general standard of the equipment required in Oil and Gas Industries.
- o. Purchaser should have right to select line item in the bid.

STC.250618.SCM.8000481 Page 7 of 47



p. The Technical Tender shall not contain any pricing information.

The Bidders should Submit following documents in the Commercial Bid submission:-

- a. Submit your price for the equipment as per attached Price Schedule Annexure -10. The total price need to be carried to the Form of Tender and complete all blanks applicable in the Appendix of Form of Tender.
- b. Price of each equipment or group of equipment as per scope of supply as per attached Annexure –10.
- c. Provide Delivery period. Abraj expects to get better delivery and the delivery is one of the criteria of commercial evaluation.
- d. Provide clear delivery term.
- e. Packing charges if any required.
- f. Manufacturer of each item of Equipment or assembly of Equipment.
- g. Country of origin of each item of Equipment or assembly of Equipment.
- h. Provide additional information which can be useful for commercial evaluation of scope of supply as per attached Annexure-01.
- i. Commercial Part shall be submitted with prices and rates in US \$/OMR taking into account the Works to be executed with terms and conditions included herein.
- j. Technical and Contractual Part shall be submitted with the format and content specified hereinafter. No prices shall be indicated in the technical and contractual part.

2.6 Visit to the Site (If Required)

The Bidder must visit the Site and obtain, at his own expense, all information necessary for preparing a Tender. He must carefully examine the Tender Documents and satisfying himself as to the tasks, risks, obligations and responsibilities to be undertaken in the Contract, form and nature of the entire areas in which the Works are to be carried out, the means of access to the Site and in general all other matters which may affect his tender.

Any neglect or failure on the part of the Bidder to obtain reliable information at Site or elsewhere or on any other matters affecting the execution and completion of the Works of this Contract shall not relieve the accepted Bidder from any risks or liabilities or from the responsibilities of completing and handing over the works.

Abraj Energy Services will arrange a guided Site Visit and a notice to this effect will be issued during the tendering period. The Bidder shall contact Contract Administrator/ Contract Engineer through Email regarding the time and date of the guided Site Visit.

Any of the employees, servants or agents of the Bidder will be allowed by Abraj to enter the site and his premises and land for the purposes of inspection and examination strictly on condition that such persons, firms or companies will indemnify the Company and his servants and agents from and against all liability arising out of any personal injury, fatal or otherwise, loss or damage to property and any other loss directly or indirectly

STC.250618.SCM.8000481 Page 8 of 47



attributable to the said inspection and examination.

2.7 Submission of Bids

The Tender shall be submitted in two part: one comprising a Technical Tender and one containing the Commercial Tender. The Technical Tender shall contain all the required documents requested in the Tender Documents excluding any financial references. The Commercial Tender shall contain all financial documents and information. Bidders who fail to adhere to this requirement will result in the disqualification of their Tender.

The Bid Form together with all information and documentation shall be completed and submitted by email only.

The bidder must affix its initialed company stamp to every page of its original Tender submission which should include all parts of the Tender Documents. The original shall be clearly marked "ORIGINAL"

Bidders not complying with the requirements of the Bid Form and the submission and delivery of the bids may be deemed non-responsive to the Invitation to Tender and their bids may be excluded from further consideration.

The Bidders should submit the bids which should be signed by Authorized person of the company and company may verify if it is required from CEO or Owner of bidder or any other Agencies e.g. Chamber of Commerce. .

No deletions or erasures may be made in the list of prices and the schedule of categories. Any correction in the prices etc. shall be re-written in numbers and words and signed by the authorized person.

The bidder may not delete or modify any clauses or technical specifications irrespective of the nature of such modification.

Any special conditions or modifications shall be sent in or attached with a separate letter kept in the tender envelope. A reference shall be made to this letter in the bid itself. No other alternative shall be acceptable.

The price schedule shall specify whether the item is manufactured in the Sultanate of Oman or abroad. Inaccuracy of the information submitted, partly or fully, shall lead to the rejection of the item without prejudice to the Abraj Tender Committee's right to deprive the bidder of the facility to deal with other tenders of the Company within a period specified by the relevant Abraj Tender Committee (ATC), depending on the situation of each case.

The prices quoted by the bidder in the schedule of categories shall include and cover all the expenses and liabilities, irrespective of their nature, to be incurred or met in respect of each clause and shall also include those involved in the completion, delivery and maintenance if required, of all the works during the period of guarantee and maintenance.

The final calculation shall be done on the basis of these prices irrespective of fluctuations in the market, the customs duty and other duties and taxes.

The bidder shall, in case of the submission of one or more alternative offer, ensure that these offers are clear and detailed and referred to in the list of contents.

If the bidder fails to specify the price of an item required to be supplied in the price list, this shall be considered as abstention from participation in the tender in respect of such item.

STC.250618.SCM.8000481 Page 9 of 47



The prices specified in words shall be accepted. As an exception, the relevant may accept the offer specified in numbers only in the Company's interest.

A bid based on a reduction in the lowest bid by a specified percentage shall also not be acceptable.

To submit the Commercial bid, the following shall be taken into account:

- a. If the goods are required to be delivered on board the ship, the price given in the bid shall include the price of the items, adding thereto the expenses for mobilization, transportation and loading in accordance with the FOB system.
- b. If the goods are required to be delivered at the port of arrival, the price given in the bid shall include the price of the items, adding thereto the expenses for mobilization, transportation, loading and shipping in accordance with the C & F system.
- c. If the goods are required to be delivered at the port of arrival, the price given in the bid shall include the price of the items, adding thereto the expenses for mobilization, transportation, loading, shipping, insurance and unloading in accordance with the CIF system.
- d. If the goods are required to be delivered at the stores of the purchaser or the work sites, the price given in the bid shall include the price of the items, adding thereto the expenses for mobilization, transportation and loading, the shipment charges, the insurance cost and expenses on unloading, customs duties, internal transportation and other additional charges.
- e. In all cases, the contractor shall bear all the expenses for getting the letter of credit from the Company pertaining to their banker while the Company shall bear the letter of credit opening charges pertaining to its banker in Oman.
- f. The data or information for Commercial Bid submission will be as per attached Annexure-10.

Bidders accept full responsibility for ensuring their bids are delivered or submitted to the correct email address by the specified deadline. Bids submitted to any other address or later than the deadline may not be considered.

Bidders forwarding their bids by courier should advise by email to Contract@abrajenergy.com, when the bid has been sent by courier, naming the courier and tracing number.

Bids received after the final bid submission deadline will be returned unopened to the bidder.

Company expressly reserves the right to extend the bid submission deadline.

2.8 Currency of Contract

The currency of the contract will be in Omani Rials (OMR) or US Dollar. In the case of a tender submitted by an individual or companies abroad, it is permitted to write the prices in foreign currency provided the equivalent Oman currency must be mentioned.

STC.250618.SCM.8000481 Page 10 of 47



Tender in foreign currency without the equivalent Oman currency will be rejected.

2.9 Validity of Tenders

The Bid Proposal shall remain valid and irrevocable for a period of Ninety (90) days from the closing date for the submission of Tenders. Company intends to notify all Bidder of the result of their Tender submission during this period. If Bidder retracts or withdraws its Tender during the period of its validity without receiving authorization from Company, Company may, at its sole discretion, without the need for summons, notice or other legal formalities or exercise any other rights stipulated in the Tender Documents.

In exceptional circumstances, prior to expiry of the original, the procuring agency may request the bidders to extend the period of validity for a specified additional period, which shall not be for more than one third of the original period of bid validity. The request and the responses thereto, shall be made in writing. A bidder may refuse the request without the forfeiture of the bid security. In case, a bidder agreed to the request, shall not be required or permitted to modify the bid, but will be required to extend the validity of the bid security for the period of the extension

2.10 Language of Contract

All correspondence with the Company or the Company' representative shall be in the English Language. Original documents or copies submitted by Tenders, which are not in Arabic or English, should be accompanied by English translation.

2.11 No Alterations

No Alterations to the text of the Tender Documents shall be made except for fillingin blanks intended to be filled-in. Failure to fully comply with this instruction may result in the rejection of the Tender.

Any alteration to a unit rate or amount made by the Bidder to correct clerical errors entered by him in the Schedule of Prices and Schedule of Rates during the preparation of the tender must be initialed by the person authorized to sign the Tender prior to the submission of tender.

2.12 QHSE Requirements

The Supplier shall comply with all the HSE requirements of Abraj Energy Services (S.A.O.C). As specified while executing the required supply works. Bidder shall fully describe its HSE record for the last three years. This shall include details of accidents and incidents involving Bidder's personnel and third parties for the activities undertaken by Bidder.

2.13 Bidder Registration Requirements

The successful bidder(s), who are not already registered, will be sent a supplier registration form and will have up to 30 days to register with Abraj Energy Services. The request need to be send to following email address to get the necessary documents required to complete registration process:

Email Address: Contract@abrajenergy.com

STC.250618.SCM.8000481 Page 11 of 47



2.14 Opening of Tenders

Both Technical & Financial Offers submitted will be opened at the time and day specified in the advertised invitation to Tender at the offices of Abraj Energy Services. Any Tender received after the time and date fixed for submission of Tenders will be rejected.

2.15 Tender Bond

The Bidder must furnish, as part of his Tender, a Tender Bond in the value of not less than 1% of the Tender Value. If the Bidder submits an alternative Tender, the one percent shall be calculated based on the highest Tender Value. The wording of the Tender Bond shall be as per the prescribed Form of Tender Bond included within the Tender Document. See Annexure-12.

The Tender Bond shall be denominated in Omani currency and shall be obtained from a bank located and registered in the Sultanate of Oman and valid for ninety (90) days from the latest date fixed for the submission of Tenders. Any Tender not accompanied by a Tender Bond will be rejected.

The Tender Bond of unsuccessful Bidders will be returned on its expiration or after the award of the Contract to the successful Bidder.

The Tender Bond will be forfeited:

- i) If a Bidder withdraws his Tender during the period of Tender validity specified in the Tender Documents; or
- ii) In the case of a successful Bidder, if the Bidder fails:
 - a) to sign the Contract; and/or
 - b) To furnish the Performance Bond.

2.16 Performance Bond

For the due performance of the Contract, The Supplier will be required to provide a Performance Bond within (7) calendar days from the date of the Letter of Acceptance to the value of five percent (5%) of the Contract Value, obtained from a Bank registered in the Sultanate of Oman, and valid for the whole of the Contract and Defects Liability Period. The Performance Bond will be retained by the Company during the Contract and Defects Liability Period and will be returned to the Supplier upon the satisfactory completion of the Defects Liability Period. The Performance Bond shall be as per the prescribed "Form of Performance Bond" included in the Tender Document.

2.17 Evaluation of Tenders

After received of Bids, Abraj evaluation Team will conduct evaluation of Bid. Technical and Commercial bids will be evaluated separately by different Evaluation Team. Tender evaluation Strategy of bids will be conducted as per Annexure-11.

2.18 Award contract

Abraj reserves the right to reject all of the bids for any reason and not award the Contract to any Bidder.

STC.250618.SCM.8000481 Page 12 of 47



Abraj reserves the right to award the Contract to a Bidder other than the lowest Bidder and to negotiate any amendment to the terms of the contract with the successful Bidder.

Abraj reserves the right to seek clarification from bidders during the evaluation process.

Bids will be evaluated by Company to determine the best qualified and most competitive.

Bidder taking into consideration all aspects of the bid, including but not limited to:

- a. The bidder's technical ability to perform the job to Company specifications and the suitability of the proposed equipment, tools, goods, processes and programs.
- b. The rates offered.
- c. Bidder's financial integrity, past performance, reputation within the industry.

In the event that Company estimates that the bid price exceeds competitive limits, it may request the bidder to reconsider the bid price with the aim to lower the price, and such a request shall not be considered as a rejection or acceptance by the Company until the validity period specified herein.

Notification of Acceptance: By way of a Letter of Intent to Award, Company shall notify the successful Bidder of Company acceptance of its Tender subject to the following conditions precedent: Signing of the Contract.

For the purpose of determining the start dates of the Performance Bond and the Insurances, the date of the Letter of Intent to Award shall be used unless another date is otherwise stipulated in the Letter of Intent to Award. If the successful Bidder fails to submit the documentation per (a) and (b) above within the time period stipulated in the Letter of Intent to Award, Company may, at its sole discretion, without the need for summons or notice or other legal formalities, exercise any rights stipulated in the Tender Documents, and notify the successful Bidder that the Contract is, ipso facto, terminated. The Effective Date, as entered in the Agreement, shall be determined at the sole discretion of Company.

3. ABRAJ STANDARD TERMS & CONDITIONS

Abraj's standard terms and conditions are attached as per Annexure 12 and any deviation to terms and conditions should be specifying in Commercial Bid.

Company expressly reserves the right to extend the bid submission deadline. Bidders not complying with the requirements of the Bid Form and the submission and delivery of the bids may be deemed non-responsive to the Invitation to Tender and their bids may be excluded from further consideration.

Bidders accept full responsibility for ensuring their Bids are delivered to the email addresses by the specified deadline. Bids submitted to any other email address or later than the deadline may not be considered.

STC.250618.SCM.8000481 Page 13 of 47



FORM OF TENDER

STC.250618.SCM.8000481 Rate Agreement for Long Rigs Move with Accessories

To:

Abraj Energy Services (SAOC) Al-Mawaleh, PO Box 1156, PC 130, Azaiba, **Sultanate of Oman**

,	Sir/Madam,
1.	We have examined the Conditions of Contract, Company's Requirements, and Addenda listed hereunder for the above named Works. We have examined, understood and checked these documents and have ascertained that they contain no errors or other defects. We, the undersigned accordingly, offer to execute and completely maintain the whole of the said Works for the prices set out in our Tender.
	Rials Omani
	(R.O) or such other sum or currency*
	()
2.	We undertake if our Tender is accepted to commence the work in accordance within Days of the Contract Conditions and to complete the Works in accordance with the above documents within the time for Completion stated in the Appendix to the Form of Tender. We guarantee that the Works will then conform to the Performance Guarantees included in this Tender.
3.	We undertake that if our Tender is accepted we will provide the specified Performance Bond from a locally registered Insurance Company or Bank in accordance with SubClause 2.16 of the above instruction to Bidder to be jointly and severally bound with us in the sum of five percent (5%) of the Contract Price for the due performance of the Contract under the terms of a Performance Bond to be approved by you.
4.	We agree to abide by this Tender for a period of 90 days from the date fixed for receiving same and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
5.	Until the Contract is prepared and executed this Letter of Tender, together with your written acceptance thereof, shall constitute a binding obligation upon us.
6.	We understand that you are not bound to accept the lowest or any tender you may receive.
7.	We acknowledge the receipt of the following Circular Letter and Addenda:
	Reference number of Addenda: Date

STC.250618.SCM.8000481 Page 14 of 47



	And confirm that we have taken account of same in our Tender.
8.	We confirm that we have an Agent/s for the provision of Spare Parts, Maintenance Services and repair who are:
	Name
	Address
	And whose Agency Registration Number is
	Dated
	Name
	Address
	And whose Agency Registration Number is
	Dated

STC.250618.SCM.8000481 Page 15 of 47



Annexure- 01 Scope of Work

Tender Scope of Work

Abraj Energy Services SAOC is in the process of floating a tender for long Rig moving with accessories. The move will include all Rig loads, rig site camp.

The attached detailed Rig load list includes all of the various loads, sizes, and types of trucks required. The contractor is required to cross-check the list and do an actual survey of loads to their satisfaction to assess the number of loads and type of trucks required i.e. normal, wide, etc.

Note: The list provided on the tender is an estimated loads list.

Rig Move Equipment & Supervision

The Contractor's performance of the work shall include the provision of equipment and personnel for the following phases:

Rig Move (pre-move and actual move)

The Contractor needs to provide sufficient resources and supervisors as well as support crew for moving the rig on a lump sum basis. The equipment list includes but is not limited to, winch trucks, flatbed trailers, extendable trailers, prime movers, low beds, flatbeds, box trailers, forklifts, etc. To start with, four cranes are needed for rigging down/up the two 60 ton and two 60 ton crane for 1000 HP rigs and for 1500/1800 HP four cranes are needed for rigging down/up the rig: two 60 ton and two 80 ton cranes for 2000 HP four cranes are needed for rigging down/up the rig: two 60 ton and two 80 ton cranes.

Rig Up

While offloading at the new location, Skids need to be spotted as per the camp layout. At the new location, two cranes shall be provided for offloading rig loads on arrival. Once the rig is rigged down at the old location, two crane need to be shifted to the new location to assist with offloading and rigging up the rig.

HSE & General Requirements

The following are the requirements to be met by the Contractor:

- Shall perform the Work and rectify all unsafe situations or potential hazards in accordance with this Contract, including, without limitation, at least the minimum health, safety, and environment as per Abraj procedures.
- Rig Mover Company to provide them HSE Advisor during the rig move.
- Shall be responsible for ensuring that all of the Contractor Personnel have passed the required safety HSE training and are competent to undertake their respective duties safely and efficiently in accordance with this Contract.
- Must provide vehicles as per OPAL standard
- All vehicles and equipment must be certified with presentation of proof of certification (OPAL standard)
- Must observe and conform to all the rules and regulations promulgated by Abraj Energy Services SAOC and clinet related to Health, Safety, and coordination of work and preservation.
- During the move, the Contractor will be responsible for the safe loading, transport, and offloading of rig loads as well as the supervision of its equipment and personnel. The contractor supervisor and personnel will work under the direction of Abraj Rig Manager and field superintendent.
- All lifting shall be carried out with the plans originated.
- All Lifting and Handling equipment should be Certified (all updated Certificates should be provided to Rig Manager before the move)
- Rig mover to provide summer mitigation so can get the step-out letter from the Ministry of Manpower to carry out the job during summer day hours. (This Mandatary to comply)
- The Rig Mover should provide fuel during the pre-move and rig move.
- Contracter to be provide Food and accommodation for the Rig mover crew and supervisor.

STC.250618.SCM.8000481 Page 16 of 47



Road safety Violations

Abraj Energy Services S.A.O.C mandates that All Contractors' vehicles adhere to OPAL and ROP Road Safety standards to ensure alignment with client contract requirements.

We would like to inform all that the clients monitor all of Abraj and its contractor's vehicles for any safety violations. As per contracts, any violation of road safety (IVMS, vehicle defects, etc.) can result in monetary HSE Defaults.

Accordingly:

- The contractor is required to cascade and discuss road safety standards with their employees.
- The contractor needs to ensure that all drivers follow road safety roles as per OPAL, and client standards.
- Any default note or HSE violation received from Abraj client caused by the contractor will be charged back to the offended company.

Rig Move Personnel

The contractor should provide a standard Rig Move Crew list to perform an efficient and safe move of the Rig.

Route Survey

The Contractor is required to perform a proper route survey to assess road conditions and the possibility of moving loads, especially across local towns and intersections on the way to the new location if required by Abraj or client. The operation manager and truck supervisors should do the survey. Overhead clearance certificate and other permission if required will be the bidder's responsibility.

ROP Escort

If the loads include some wide and long loads for which ROP escort will be required. Rig Mover will maintain ROP escort back charge to the company as per actual.

Rig Move Rate

The rates are based on a lump sum basis for moving all loads from the old location to the new location, with the following information to be provided

- 1. Asset list
- 2. Crew list
- 3. One Night crane operator

Bidder shall provide a day rate for all assets and crew listed on the contract

The company has the right to call for extra assets/crew at any point in time

The company has the right to deduct missing assets/crew based on the figure provided by the bidder.

Other considerations

The bidder's performance of the work shall include the provision of equipment and personnel for the complete rig-down, movement, and rig-up phases.

A safe transportation of all Abraj equipment is the expectation from the Contractor. Any damages caused during transportation will be penalized to the Contractor.

The bidder has to work with the company to improve the performance of the rig move, the workshop shall be led by the bidder.

The Contractor's to provide the maintenance workshop during rig move activity.

Bidder has to present/discuss below during the tendering phase

- 1. Company profile
- 2. HSE performance
- 3. Lifting procedure including inspection checklist
- 4. Rig move performance with existing bidder companies
- 5. Face to face clarification of non-compliance



D.8 (Bulldozer)

Based on lump sum contract. The Contractor to provided D8 (Bulldozer) to support movement of rig Substructure if required as per the road survey.

Rig Move (pre-move and actual move)

The Contractor needs to provide sufficient resources and supervisors as well as support crew for moving the rig on a lump sum basis. Below table of the equipment list required for the move. Pre-move will start two days before the actual release.

The load list below without dismantling for 1000 HP:

Rig/Mini Camp Loads								
DESCRIPTION		TRANSF	ODTED	SKID	WIDE	MAX.	WEIGHT	
	NO. OF	IKANSF	OKIEK	OR	LOAD	AXLE	(TONS)	
	LOADS	SHORT MOVE	LONG MOVE	TRAILER		LOAD (TONS)		
Rig Cariar and mast	1	P/M	P/M	Trailer	Yes	45	472	
Power trailer Cariar	1	P/M	P/M	Trailer	Yes	25	125	
Mud pumps Cariar	1	P/M	P/M	Trailer	Yes	14	50	
Trip tank & choke manifold	1	P/M	P/M	Trailer	Yes	12	25	
Mud tanks	6	P/M	P/M	Trailer	No	10	12	
Power catwalk	1	P/M	P/M	Trailer	No	27	50	
Fuel tank	2	F/B	F/B	Skid	No	2	12	
Pipe Bins	5	P/M	P/M	Trailer	No	10	50	
Hyd Pipe Bins	2	P/M	P/M	Trailer	No	5	8	
Crossover Skids / Tool Bins	2	P/M	P/M	Skid	NO	NA	25	
Materials bins and skid	1	F/T	F/T	Skid	No	NA	22	
Oil Skid	1	O/F	F/B	Skid	No	NA	8	
forklift	1	P/M	P/M	bed truck	No	2	8	
Man lift	1	P/M	P/M	bed truck	No	8	8	
Rig crane	1	P/M	P/M	bed truck	No	8	8	
Welding workshop	1	P/M	P/M	bed truck	No	2	8	
Secondary Cabin skid	1	F/T	F/T	Skid	No	NA	4	
Ambulance Parking shade	1	F/T	F/T	Skid	No	NA	2	
Miscellaneous	17	F/T	F/T	Skid	No	NA	14	
Rig site camp	5	F/B	F/B	Skid	Yes	NA	17	
Chemicals and lose Items	10	В/Т	F/B	Trailer	No	N/A	15	
Total	62+-5%							
Main Comp								

Main Camp						
TRANSPORT REQUIRED FOR CONVOY LOA	ADS LISTED	ABOVE				
	SHORT	LONG				
NO. OF LOADS	MOVE	MOVE				

STC.250618.SCM.8000481 Page 18 of 47



No. of F/T Loads	14	14	14	P/M = Prime mover
No. of Wide	14	14	14	O/F = Oil field
Loads				
No. of S/D Loads	Nil	Nil	Nil	F/T = Flat Trailer
Total No. of Loads	14	14	14	

The below load list with dismantling for 1000 HP:

Rig/Mini Camp Loads							
DESCRIPTION		TDANG	OODTED	SKID	WIDE	MAX.	WEIGHT
	NO OF LOADS	IRANSI	PORTER	OR	LOAD	AXLE	(TONS)
		SHORT	LONG	TDAUED		LOAD	
		MOVE	MOVE	TRAILER		(TONS)	
Substructure	1	P/M	P/M	Trailer	Yes	45	472
Mast	1	P/M	P/M	Trailer	Yes	45	120
Power trailer	5	P/M	P/M	Trailer	Yes	25	125
Main VFD Trailer	1	P/M	P/M	Trailer	Yes	25	50
Mud pumps	3	P/M	P/M	Trailer	Yes	14	50
Trip tank & choke manifold	1	P/M	P/M	Trailer	Yes	25	25
Mud tanks	9	P/M	P/M	Trailer	No	2	8
Water tanks	2	P/M	P/M	Trailer	No	2	8
Hopper skid & big bag mixer	1	P/M	P/M	Skid	No	2	8
Fuel tank	2	F/B	F/B	Skid	No	2	12
Power catwalk	1	P/M	P/M	Skid	No	45	50
Pipe Bins	8	P/M	P/M	Trailer	No	2	50
Koomey Trailer	1	P/M	P/M	Trailer	No	25	25
Masjid	1	P/M	P/M	Skid	No	NA	8
Crossover Skids /					NO		
Tool Bins	2	P/M	P/M	Skid	NO	NA	25
Materials bins and skid	8	F/T	F/T	Skid	No	NA	22
Mud pump spare skid	1	O/F	F/B	Skid	No	NA	14
Storage containers	4	F/B	F/B	Skid	No	NA	22
Oil Skid	2	O/F	F/B	Skid	No	NA	8
COOLING TANK/ Trailer	1	P/M	P/M	Trailer	No	25	25
forklift	1	P/M	P/M	bed truck	No	2	8
Man lift	1	P/M	P/M	bed truck	No	2	8
Rig crane	1	P/M	P/M	bed truck	No	2	8
Welding workshop	1	P/M	P/M	bed truck	No	2	8
Secondary Cabin skid	1	F/T	F/T	Skid	No	NA	2
Miscellaneous	15	F/T	F/T	Skid	No	NA	14
Rig site camp	6	F/B	F/B	Skid	Yes	NA	17
lose Items	10	B/T	F/B	Trailer	No	N/A	15
Total	91+-5%						

STC.250618.SCM.8000481 Page 19 of 47



			Main Can	np
TRANSPORT REQUI	RED FOR CONVOY LO	DADS LISTED	ABOVE	
		SHORT	LONG	
NO. O	F LOADS	MOVE	MOVE	
No. of F/T Loads	14	14	14	P/M = Prime mover
No. of Wide	14	14	14	O/F = Oil field
Loads				
No. of S/D Loads	Nil	Nil	Nil	F/T = Flat Trailer
Total No. of Loads	14	14	14	

The load list below without dismantling for 1500/1800 HP:

	Rig/Mini Camp Loads							
DESCRIPTION		TDANIG	DODTED	SKID	WIDE	MAX.	WEIGHT	
	NO OF LOADS	IRANS	PORTER	OR	LOAD	AXLE	(TONS)	
	NO. OF LOADS	SHORT MOVE	LONG MOVE	TRAILER		LOAD (TONS)		
Substructure	1	P/M	P/M	Trailer	Yes	45	472	
Mast	1	P/M	P/M	Trailer	Yes	45	120	
Power trailer	1	P/M	P/M	Trailer	Yes	25	125	
Mud pumps	3	P/M	P/M	Trailer	Yes	14	50	
Mud tanks	9	P/M	P/M	Trailer	No	2	8	
Water tanks	1	P/M	P/M	Trailer	No	2	8	
Fuel tank	2	F/B	F/B	Skid	No	2	12	
Power catwalk	1	P/M	P/M	Trailer	Yes	2	8	
Pipe Bins	5	P/M	P/M	Trailer	Yes	2	50	
Choke manifold	1	P/M	P/M	Trailer	No	2	8	
Tubular bins	10	P/M	P/M	Trailer	No	NA	33	
Materials bins and skid	8	F/T	F/T	Skid	No	NA	22	
Waste bins	2	O/F	F/B	Skid	No	NA	14	
Storage containers	4	F/B	F/B	Skid	No	NA	22	
Oil Skid	2	O/F	F/B	Skid	No	NA	8	
COOLING SYSSTEM	1	F/T	F/T	Skid	No	NA	6	
Miscellaneous	16	F/T	F/T	Skid	No	NA	14	
Rig site camp	5	F/B	F/B	Skid	Yes	NA	17	
	5	F/B	F/B	Skid	No	N/A	15	
Chemicals and lose	10	B/T	F/B	Trailer	No	N/A	15	
Items			,		-	,		
Total	88+-5%				<u> </u>	<u> </u>		
			<mark>mp</mark>					
TRANSPORT REQUIR ABOVE								
	NO. OF LOADS SHORT LONG MOVE MOVE							
NO. OF	NO. OF LOADS							
No. of F/T Loads	14	14	14	P/M = Prime mover				

STC.250618.SCM.8000481 Page 20 of 47



No. of Wide Loads	14	14	14	O/F = Oil field
No. of S/D Loads	Nil	Nil	Nil	F/T = Flat Trailer
Total No. of Loads	14	14	14	

The load list below with dismantling for 1500/1800 HP:

Rig/Mini Camp Loads							
DESCRIPTION				SKID	WIDE	MAX.	WEIGHT
		TRANSI	PORTER	OR	LOAD	AXLE	(TONS)
	NO. OF LOADS	SHORT	LONG			LOAD	, ,
		MOVE	MOVE	TRAILER		(TONS)	
Substructure	8	P/M	P/M	Trailer	Yes	45	472
Mast	5	P/M	P/M	Trailer	Yes	45	120
Power trailer	5	P/M	P/M	Trailer	Yes	25	125
Dolly SUB & Tire	8	P/M	P/M	Trailer	No	2	50
Main VFD Trailer	1	P/M	P/M	Trailer	Yes	25	50
Mud pumps	3	P/M	P/M	Trailer	Yes	14	50
Trip tank & choke	1	P/M	P/M	Trailer	Yes	25	25
manifold	<u> </u>	P/IVI	F/IVI	Haller	163	23	23
Mud tanks	10	P/M	P/M	Trailer	No	2	8
Water tanks	2	P/M	P/M	Trailer	No	2	8
Hopper skid & big	2	P/M	P/M	Skid	No	2	8
bag mixer	2	F/IVI	F/IVI	Skiu	INO	2	0
Fuel tank	2	F/B	F/B	Skid	No	2	12
Power catwalk	1	P/M	P/M	Skid	No	45	50
Pipe Bins	10	P/M	P/M	Trailer	No	2	50
Koomey Trailer	1	P/M	P/M	Trailer	No	25	25
Masjid	1	P/M	P/M	Skid	No	NA	8
Crossover Skids /	2	D/M	D/N4	Chid	NO	NIA	25
Tool Bins	2	P/M	P/M	Skid	NO	NA	25
Materials bins and	10	F/T	F/T	Skid	No	NA	22
skid	10	г/ і	Г/ 1	SKIU	NO	IVA	22
Mud pump spare	1	O/F	F/B	Skid	No	NA	14
skid	1	U/F			NO	IVA	14
Storage containers	4	F/B	F/B	Skid	No	NA	22
Oil Skid	2	O/F	F/B	Skid	No	NA	8
COOLING TANK/	1	P/M	P/M	Trailer	No	25	25
Trailer	<u> </u>		-		140	23	23
forklift	1	P/M	P/M	bed truck	No	2	8
Man lift	1	P/M	P/M	bed truck	No	2	8
Rig crane	1	P/M	P/M	bed truck	No	2	8
Welding workshop	1	P/M	P/M	bed truck	No	2	8
Secondary Cabin skid	1	F/T	F/T	Skid	No	NA	2
Miscellaneous	20	F/T	F/T	Skid	No	NA	14
Rig site camp	8	F/B	F/B	Skid	Yes	NA	17
lose Items	20	B/T	F/B	Trailer	No	N/A	15
Total	133						

STC.250618.SCM.8000481 Page 21 of 47



Main Camp									
TRANSPORT REQUI	RED FOR CONVOY LO								
		SHORT	LONG						
NO. O	F LOADS	MOVE	MOVE						
No. of F/T Loads	14	14	14	P/M = Prime mover					
No. of Wide	14	14	14	O/F = Oil field					
Loads									
No. of S/D Loads	Nil	Nil	Nil	F/T = Flat Trailer					
Total No. of Loads	14	14	14						

For 2000 HP below description

Rig/Mini Camp Loads							
DESCRIPTION		1		SKID	WIDE	MAX.	WEIGHT
		TRANS	PORTER	OR	LOAD	AXLE	(TONS)
	NO. OF LOADS	SHORT	LONG			LOAD	
		MOVE	MOVE	TRAILER		(TONS)	
Substructure	1	P/M	P/M	Trailer	Yes	45	472
Mast	1	P/M	P/M	Trailer	Yes	45	120
Power trailer	1	P/M	P/M	Trailer	Yes	25	125
Mud pumps	3	P/M	P/M	Trailer	Yes	14	50
Mud tanks	10	P/M	P/M	Trailer	No	2	8
Water tanks	1	P/M	P/M	Trailer	No	2	8
Fuel tank	2	F/B	F/B	Skid	No	2	12
Welding work	1	F/B	F/B	Skid	No	2	12
Shope		176	1/6		NO		12
Power catwalk	1	P/M	P/M	Trailer	Yes	2	8
Pipe Bins	6	P/M	P/M	Trailer	Yes	2	50
Choke manifold	1	P/M	P/M	Trailer	No	2	8
Tubular bins	10	P/M	P/M	Trailer	No	NA	33
Materials bins and	8	F/T	F/T	Skid	No	NA	22
skid	· · · · · · · · · · · · · · · · · · ·	,	1/1		NO		22
Waste bins	2	O/F	F/B	Skid	No	NA	14
Storage containers	4	F/B	F/B	Skid	No	NA	22
Oil Skid	2	O/F	F/B	Skid	No	NA	8
COOLING SYSSTEM	2	F/T	F/T	Skid	No	NA	6
Miscellaneous	16	F/T	F/T	Skid	No	NA	14
Rig site camp	5	F/B	F/B	Skid	Yes	NA	17
	5	F/B	F/B	Skid	No	N/A	15
Chemicals and lose	12	в/т	F/B	Trailer	No	N/A	15
Items		5, .	.,,,	Tranci		14,71	- 13
Total	94+-5%	<u> </u>					
			<u>/lain Camp</u>	<u>)</u>			
TRANSPORT REQUIR	ED FOR CONVOY LO	ADS LISTE	D				
ABOVE							
SHORT LONG							
NO. OF	LUADS	MOVE	MOVE				

STC.250618.SCM.8000481 Page 22 of 47



No. of F/T Loads	14	14	14	P/M = Prime mover
No. of Wide Loads	14	14	14	O/F = Oil field
No. of S/D Loads	Nil	Nil	Nil	F/T = Flat Trailer
Total No. of Loads	14	14	14	

The load list below with dismantling for 2000 HP:

Rig/Mini Camp Loads							
DESCRIPTION			-	SKID	WIDE	MAX.	WEIGHT
	NO 0510406	TRANSI	PORTER	OR	LOAD	AXLE	(TONS)
	NO. OF LOADS	SHORT	LONG	T0.43.50		LOAD	•
		MOVE	MOVE	TRAILER		(TONS)	
Substructure	8	P/M	P/M	Trailer	Yes	45	472
Mast	5	P/M	P/M	Trailer	Yes	45	120
Power trailer	5	P/M	P/M	Trailer	Yes	25	125
Dolly SUB & Tire	8	P/M	P/M	Trailer	No	2	50
Main VFD Trailer	1	P/M	P/M	Trailer	Yes	25	50
Mud pumps and skid	6	P/M	P/M	Trailer	Yes	14	50
Trip tank & choke manifold	1	P/M	P/M	Trailer	Yes	25	25
Mud tanks	10	P/M	P/M	Trailer	No	2	8
Water tanks	2	P/M	P/M	Trailer	No	2	8
Hopper skid & big bag mixer	2	P/M	P/M	Skid	No	2	8
Fuel tank	2	F/B	F/B	Skid	No	2	12
Power catwalk	1	P/M	P/M	Skid	No	45	50
Pipe Bins	10	P/M	P/M	Trailer	No	2	50
Koomey Trailer	1	P/M	P/M	Trailer	No	25	25
Masjid	1	P/M	P/M	Skid	No	NA	8
Crossover Skids / Tool Bins	2	P/M	P/M	Skid	NO	NA	25
Materials bins and skid	15	F/T	F/T	Skid	No	NA	22
Mud pump spare skid	1	O/F	F/B	Skid	No	NA	14
Storage containers	4	F/B	F/B	Skid	No	NA	22
Oil Skid	2	O/F	F/B	Skid	No	NA	8
COOLING TANK/ Trailer	2	P/M	P/M	Trailer	No	25	25
forklift	1	P/M	P/M	bed truck	No	2	8
Man lift	1	P/M	P/M	bed truck	No	2	8
Rig crane	1	P/M	P/M	bed truck	No	2	8
Welding workshop	1	P/M	P/M	bed truck	No	2	8
Secondary Cabin skid	1	F/T	F/T	Skid	No	NA	2
Miscellaneous	20	F/T	F/T	Skid	No	NA	14
Rig site camp	8	F/B	F/B	Skid	Yes	NA	17
lose Items	20	B/T	F/B	Trailer	No	N/A	15
Total	142						

STC.250618.SCM.8000481 Page 23 of 47



Rig Move Equipment & Supervision

The Contractor's performance of the work shall include the provision of equipment and personnel for complete Rig down, movement and rig up phases.

A safe transportation of all Abraj equipment is the expectation from the Contractor. Any damages caused during transportation will be penalized to the Contractor.

1000 HP below list asset required,

Equipment's discerptions	Quantity (Nos) without dismantling	Quantity (Nos) with dismantling
Oil Filed Truck	2	2
Winch Truck	12	14
Heavy duty Prime mover	4	4
Prime mover	4	4
Extendible 24 M trailer	1	1
Extendible 22 M trailer	1	1
Box Trailer	1	2
Forklifts 5 ton	2	2
Flat Bed Truck	2	2
60-ton cranes	4	2
80-ton cranes	0	2
100-ton cranes	0	0
Lowbed 100 ton	2	2
Supervisor & Crew	2	3
HSE	1	1

1500/1800 HP below list asset required,

Equipment's discerptions	Quantity (Nos) without dismantling	Quantity (Nos) with dismantling
Oil Filed Truck	2	2
Winch Truck	12	16
Heavy duty Prime mover	4	4
Prime mover	4	4
Extendible 24 M trailer	1	1
Extendible 22 M trailer	1	1
Box Trailer	1	2

STC.250618.SCM.8000481 Page 24 of 47



Forklifts 5 ton	2	2
Flat Bed Truck	2	2
60-ton cranes	2	0
80-ton cranes	2	2
100-ton cranes	0	0
Lowbed 100 ton	2	2
Supervisor & Crew	2	3
HSE	1	1

2000 HP below list asset required,

Equipment's discerptions	Quantity (Nos) without dismantling	Quantity (Nos) with dismantling
Oil Filed Truck	2	2
Winch Truck	12	18
Heavy duty Prime mover	4	4
Prime mover	4	4
Extendible 24 M trailer	1	1
Extendible 22 M trailer	1	1
Box Trailer	1	2
Forklifts 5 ton	2	2
Flat Bed Truck	2	2
60-ton cranes	2	0
80-ton cranes	2	2
100-ton cranes	0	2
Lowbed 100 ton	2	2
Supervisor & Crew	2	3
HSE	1	1

Twilight Moves (Should be quoted separately)

There will be a requirement for twilight move/works where a supervisor, crew, and the following equipment will be needed to work within a new and/or location for rigging down or rigging up within the location or loading on trailers. This will not include moving loads at night. The required equipment is as follows:

- One Crane
- One forklift
- Supervisor & Crew

Annex# 1 Mobile Cranes:

Contractor Responsibilities

All Mobile Cranes shall comply with the following requirements:

Legal and Documentation Requirements.

- 1. Crane shall comply with the Laws and Standards of the Local Government.
- 2. Crane shall have not undergone any modification without endorsement from the vehicle manufacturer or the local agent.
- 3. Crane's Insurance and registration papers shall be available and be valid

STC.250618.SCM.8000481 Page 25 of 47



- 4. Crane shall have Load test and 3rd party inspection certification available and valid.
- 5. The Crane OEM manual should be available inside the crane.

Safety Requirements

- 1. Mobile cranes shall display the manufacturer crane load Chart for that particular crane.
- 2. All mobile cranes shall be fitted with a Safe Load Indicator. information from the Load Indicator shall be as follows:
 - Actual weight
 - Permissible weight
 - · Boom angle
 - · Boom Length
 - · Boom tip height
 - Radius
 - · Approach overload warning light
 - Overload warning light
 - Anti-two block warning light
- 3. Hoist limit device which when actuated stops the hoisting motion and applies the brake on the hoisting winch automatically.
- 4. Engine stop system, which operates in a manner such that the engine comes to rest with minimum delay.
- 5. Facility for emergency lowering of loads
- 6. Temperature sensing device (which may be audiovisual type) of equivalent safeguards to give adequate protection to the prime mover and associate Equipment.
- 7. Emergency stop with manual reset capability shall be available.
- 8. Motion control levers, which return with a minimum delay to neutral upon release (this does not apply to engine throttle lever).
- 9. Crane shall have adequate means of escape in case of emergency.
- 10. Shall have Safety latches that automatically close, fitted to all integral crane hooks.
- 11. A suitable operating cab that protects the crane operator and controls the elements (weather) is adequately cooled/ventilated and provides a clear and unrestricted view of all operations associated with the crane.
- 12. The Safe Working Load of the hook block is prominently marked and highlighted on the hook.
- 13. Calibrated automatic Safe Load Indicator fitted and a legible metric crane capacity chart, prominently displayed where the design of the crane is intended for SWL loads of greater than on (1 Tone).
- 14. Outriggers and hooks are marked with a red and white chevron pattern.
- 15. The crane should be fitted with a Spark arrestor.
- 16. A log book in which the operator records the maintenance and safety checks and comments relating to the crane operation.
- 17. All pressure gauges must be operational
- 18. Crane and winch controls well well-positioned and laid out
- 19. All Hydraulics hoses must be in good condition and no leaks in hoses or cylinders
- 20. Electrical wiring is in good condition and all lights should be operational
- 21. The level gauge shall be available.
- 22. The main horn must be operational
- 23. Over-boom/under-boom stops must be available, functioning correctly
- 24. Load-limiting devices must be operational
- 25. A boom angle indicator must be available that can be seen by the operator
- 26. Brakes shall be adequately rated for SWL.
- 27. Brakes shall be applied automatically on loss of power. Crane shall be a secondary braking system or transmission system shall have hydraulic retardation to prevent free falling of load in case of primary brake or transmission system failure.
- 28. A warning to display for checking failsafe brake application before use.
- 29. The brakes should have been serviced in the last 3 months.
- 30. Three Point Safety belt for the Crane Operator shall be available.
- 31. 9kg Dry Powder fire extinguisher shall be available with valid inspection certification.
- 32. First Aid Kit shall be available in Crane Cabin.
- 33. Safety Triangle, A Spare tire with adequate tools shall be available.
- 34. Shall have Flashing light on the top in working condition
- 35. Wooden planks should be available with Crane.



- 36. Crane shall be designed such that inadvertent freefall is prevented when the drive train is in motion or the hook is loaded. If fitted, the freefall control should be physically locked so that it cannot be operated during lift.
- 37. Secondary containment (drip trays etc.) for all potential leak areas is to be provided by the Crane Supplier.

Lifting Equipment/Gears

- 1. Crane and associated equipment including Winch shall be thoroughly inspected by a suitable/qualified competent person within the last six months. (Client load test either, PDO, or others) Crane Load test shall have been carried out within the last 12 months.
- 2. 5 turns of cable remain on the drum when the hook is in contact with the ground.
- 3. The cable is to be of the correct type and size for the winch as per the Crane winch manual.
- 4. Cable shall be properly terminated as per industry standard practice.
- 5. SWL of the hook block shall be adequate for Crane capacity
- 6. Hook shall be in good condition with throat not opening more than 15% of normal or no more than 10-degree twist (incl. swivel, safety latch)
- 7. SWL of the hook block shall be prominently marked and highlighted on the hook.
- 8. Slings/chain shall be tagged, and certified as per Abraj Lifting and Hoisting Procedure
- 9. Slings/chains in good physical condition without tears or cracks as per Abraj Lifting procedure
- 10. Sheaves shall be in good condition without any kind of damage.
- 11. All safety guards shall be installed at the required places.
- 12. The swing lock device shall be fitted and operational.
- 13. Outriggers and landing pads shall be in good condition, with no visible leaks.
- 14. Hook and other lifting gears shall be marked as per Abraj Color coding system.

Crane Operator Requirements

- 1. The Crane Operator shall be physically fit to operate a crane, demonstrable by a medical certificate as per Abraj health requirements.
- 2. The vendor shall provide adequate PPE (Coverall, Helmet, Safety Shoes, and Safety Glasses) to Crane Operators as per Abraj's requirements.
- 3. Crane Operator shall be a minimum of at least 30 years old
- 4. The Crane Operator shall hold the appropriate and valid ROP vehicle driving license and Client vehicle driving permit.
- 5. The Crane Operator shall have attended and passed an approved crane operator's training course/assessment, equipment familiarization/induction appropriate to the type and capacity of the crane he will be required to operate.
- 6. The Crane Operator shall have passed a rigging and slinging training course/assessment as per Abrai requirements.
- 7. The Crane Operator shall have a minimum of 5 years experience as a crane operator and a minimum of 200 hours operating the type of crane to be used in the operation.

Annex# 2 Forklift

- 1. Rental 5-ton forklift with driver 12 hours working day.
- 2. Any brand of forklift accepted with not less than 4 tons
- 3. Maximum working load is 5 Ton.
- 4. Valid all certification (load test,.....etc.)
- 5. All tiers are new with a maximum of one year's use
- 6. Supplier to provide the maintenance on time in location.
- 7. Replacement forklift in case of breakdown within 24 hours.

Mandatory Requirements:

- 1. All forklifts shall be Opal certified.
- 2. The forklifts should be certified by relevant government authorities.
- 3. All documents related to the forklift shall be provided.
- 4. Drivers must have all required licenses and permits from ROP and operators to comply with road and safety rules and OPAL standards.
- 5. The driver must have relevant training certifications as per OPAL and concession rules and regulations. As a bare minimum, the training driver should have HSE induction.
- 6. Drivers should have a minimum of 5 years of experience in operating.
- 7. The driver's age shall not be more than 60 years.



Contractor and Vehicle Compliance Requirements:

- a. Valid RAS sticker.
- b. Driver license.
- c. Vehicle Registration Documents.
- d. Experience Certificate of the Operator/Driver.
- e. Description of Equipment.
- f. Operating Procedures.
- g. Contractor needs to provide all certificates (valid Registration ROP, Health Certificate & Municipality permits)
- h. All vehicles are to be provided with an air conditioning system
- i. In case of Vehicle(s) breakdown contractor will provide replacement(s) immediately maximum within 24 hours, for any delay in providing the replacement, Abraj has the right to deduct from the contractor invoice.
- j. The contractor needs to provide all certificates (valid Registration ROP, and Health Certificate)
- k. The contractor must comply with all Abraj HSE Management Systems.
- I. Rig mover to provide summer mitigation so can get the step out letter from the Ministry of Manpower to carry out the job during summer day hours. (This Mandatary to comply)

Driver Qualification and Requirements

- 1. The driver's age shall not be more than 60 years old
- 2. The driver should have a valid driving license.
- 3. The driver shall have relevant certifications for operating the trailer as per Client rules and regulations as well as relevant health certificates.
- 4. The driver is required to speak/read/write English.
- 5. The driver should have all necessary safety equipment, protective clothing, and PPE.
- 6. The driver may be required to wear legible identification badges, this shall be provided by the contractor.
- 7. The driver shall ensure that the equipment is installed correctly to permit optimum performance according to the specifications of the unit(s) from OEM.
- 8. The driver shall have completed all courses, training, and/or seminars required by Company F, as well as the following:

Compliance Criteria

Criteria	Yes/No
The contractor shall fully comply with all requirements specified in the Scope of Work. Any deviations must be clearly justified.	
The contractor shall be responsible for any damage during loading, Offloading and transportation, and any delays caused due to their operations.	
The contractor shall submit a comprehensive road survey before mobilization to assess the route and identify any potential obstacles or risks.	
The contractor shall adhere to Abraj's Health, Safety, and Environmental (HSE) and Quality standards. Evidence of past compliance or certifications must be provided.	
The contractor shall submit a detailed asset list, including trucks, trailers, and any supporting equipment, to ensure adequate resources for execution.	
The contractor shall Commitment from vendor to continuously working in summer without stoppage (Summer mitigations to be provided by moving company.	

STC.250618.SCM.8000481 Page 28 of 47



Technical Criteria:

Criteria	%
Experience and Track Record in Similar Rig Moves	20
Working Time Commitment	20
Manpower Experience – Key Personnel (Operations Manager, Supervisor, and Crew for Fast-Moving Rigs)	20
Response and Replacement Time for Truck Failures	20
Contractor Performance on Similar Rig Moves	20

Commercial Criteria:

Description	Unit	Total Expected Move/ Year	Unit Cost (OMR)
Rig Move 1000 HP W			
RIG MOVE 101 TO 150 KMS	JOB	1	
RIG MOVE 151 TO 200 KMS	JOB	1	
RIG MOVE 200 TO 250 KMS	JOB	1	
RIG MOVE 251 TO 300 KMS	JOB	1	
RIG MOVE 301 TO 400 KMS	JOB	1	
RIG MOVE 401 TO 600 KMS	JOB	1	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1	
Rig Move 1000 HP With	hout Di	smantling	
RIG MOVE 101 TO 150 KMS	JOB	1	
RIG MOVE 151 TO 200 KMS	JOB	1	
RIG MOVE 200 TO 250 KMS	JOB	1	
RIG MOVE 251 TO 300 KMS	JOB	1	
RIG MOVE 301 TO 400 KMS	JOB	1	
RIG MOVE 401 TO 600 KMS	JOB	1	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1	
Rig Move 1500/1800 HP	With D	Dismantling	
RIG MOVE 101 TO 150 KMS	JOB	1	
RIG MOVE 151 TO 200 KMS	JOB	1	
RIG MOVE 200 TO 250 KMS	JOB	1	
RIG MOVE 251 TO 300 KMS	JOB	1	
RIG MOVE 301 TO 400 KMS	JOB	1	
RIG MOVE 401 TO 600 KMS	JOB	1	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1	

STC.250618.SCM.8000481 Page 29 of 47



Rig Move 1500/1800 HP Without Dismantling				
RIG MOVE 101 TO 150 KMS	JOB	1		
RIG MOVE 151 TO 200 KMS	JOB	1		
RIG MOVE 200 TO 250 KMS	JOB	1		
RIG MOVE 251 TO 300 KMS	JOB	1		
RIG MOVE 301 TO 400 KMS	JOB	1		
RIG MOVE 401 TO 600 KMS	JOB	1		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1		
Rig Move 2000 HP W	ith Disr	nantling		
RIG MOVE 101 TO 150 KMS	JOB	1		
RIG MOVE 151 TO 200 KMS	JOB	1		
RIG MOVE 200 TO 250 KMS	JOB	1		
RIG MOVE 251 TO 300 KMS	JOB	1		
RIG MOVE 301 TO 400 KMS	JOB	1		
RIG MOVE 401 TO 600 KMS	JOB	1		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1		
Rig Move 2000 HP With	hout Di	smantling		
RIG MOVE 101 TO 150 KMS	JOB	1		
RIG MOVE 151 TO 200 KMS	JOB	1		
RIG MOVE 200 TO 250 KMS	JOB	1		
RIG MOVE 251 TO 300 KMS	JOB	1		
RIG MOVE 301 TO 400 KMS	JOB	1		
RIG MOVE 401 TO 600 KMS	JOB	1		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1		
Camp Move With	Dismar	ntling		
Camp MOVE 101 TO 150 KMS	JOB	1		
Camp MOVE 151 TO 200 KMS	JOB	1		
Camp MOVE 200 TO 250 KMS	JOB	1		
Camp MOVE 251 TO 300 KMS	JOB	1		
Camp MOVE 301 TO 400 KMS	JOB	1		
Camp MOVE 401 TO 600 KMS	JOB	1		
Camp Move Withou	ıt Dism	antling		
Camp MOVE 101 TO 150 KMS	JOB	1		
Camp MOVE 151 TO 200 KMS	JOB	1		
Camp MOVE 200 TO 250 KMS	JOB	1		
Camp MOVE 251 TO 300 KMS	JOB	1		
Camp MOVE 301 TO 400 KMS	JOB	1		
Camp MOVE 401 TO 600 KMS	JOB	1		

STC.250618.SCM.8000481 Page 30 of 47



Annexure - 02 Expression of Interest

Abraj Energy Services S.A.O.G.					
FROM: Supply Chain Department					
DOCUMENT: AES-02 / Expression of Interest					
TENDER REFERENCE STC.250618.SCM.8000481 Rate Agreement for Long Rigs Move with					
	Accessories				

Dear Sir/Madam,

You are hereby invited to express your interest (EOI) for the above mentioned tender and confirms the following:

To register your interest please complete the forms listed below duly signed by authorized signatory and submitted within three (3) days of reviewing the Invitation to Tender (ITT) to:

Contract@abrajenergy.com

- 1. Annexure-03 Interest to Participate in Tender and Confidentiality Declaration for Tender
- 2. Annexure-04 Declaration to Comply with Company Requirement

Please note that all submissions and communications pursuant to this EOI notice shall bear following caption the Tender Reference

Our pre-qualification and tendering processes shall follow your EOI. If we do not receive any response from you on or before the above mentioned date, you will not be eligible to participate in this tender.

Abraj takes this opportunity to wish you all the best and we hope to deal with you soon.

Regards,

Supply Chain Department

Abraj Energy Services S.A.O.G.

STC.250618.SCM.8000481 Page 31 of 47



Annexure - 03 Interest to Participate in Tender and Confidentiality Declaration for Tender

Abraj Energy Services S.A.O.G.							
FROM: Supply Chain Department							
DOCUMENT: AES-03 / Interest to Participate in Tender and Confidentiality							
Declaration for Tender							
TENDER STC.250618.SCM.8000481 Rate Agreement for Long Rigs							
REFERENCE	REFERENCE Move with Accessories						

Attention: Contracts Officer

Dear Sir/Madam.

Having reviewed the Tender Document our company would like to register our interest in bidding for above referenced tender.

We the undersigning party (hereinafter called the 'Bidder') hereby represents and warrants to ABRAJ ENERGY SERVICES SAOC, being a company incorporated under the laws of the Sultanate of Oman having its Head Office at Al-Mawaleh, PO Box 1156, PC 130, Azaiba, Muscat, Sultanate of Oman (hereinafter called the 'Company') to be unconditionally bound by the following terms and conditions with respect to the receipt, review, and treatment of all information and documents provided to the Bidder by or on behalf of the Company, including but not limited to the Tender Documents, in connection with the Tender Reference mentioend above.

- 1.1. Confidential Information shall mean all knowledge, data or information in connection with this Tender or the Project, which from time to time may be disclosed to the Bidder by Company, or on behalf of Company, in writing, including drawings, magnetic tapes, computer programs or in any other way, as well as all knowledge, data or information derived there from, to the extent that such knowledge, data or information at the time of such acquisition or disclosure is not either already in the unrestricted possession of Contractor or part of public knowledge or literature.
- 1.2. Confidential Record shall mean all documents and any other material containing Confidential Information.

2.1. The Bidder shall:

- (a) preserve and cause its employees, potential Subcontractors and Manufacturers to preserve the secrecy of any Confidential Information;
- (b) not disclose, except with the prior written consent of the Company, to any Third Party any Confidential Information or Confidential Record or enable any Third Party to note the fact that the Bidder has been invited to submit a Tender for the work for any purpose other than the performance of the work or the preparation and submission of a Tender for the work;
- (c) not, except with the prior written consent of the Company, reproduce, copy or use, or disclose to, place at the disposal of or use on behalf of any Third Party or enable any Third Party to peruse, copy or use, any Confidential Information for any purpose other than the performance of the work or the preparation and submission of a Tender for the work.
- 2.2. The Bidder may disclose Confidential Information or Confidential Records as required by law or to a court or tribunal of competent jurisdiction if an order for such disclosure is made and, in those circumstances, only to the extent necessary by law or to satisfy such order for disclosure.

STC.250618.SCM.8000481 Page 32 of 47



The Bidder shall notify the Company prior to any such disclosure and shall provide all reasonable assistance as may be requested by the Company to prevent or minimize such disclosure.

- 2.3. The undertakings under Clause 2.1 above shall continue so far as the Confidential Information in question has:
 - (a) not become part of public knowledge or literature, or
 - (b) not been disclosed to the Bidder by a Third Party (other than one disclosing on behalf of the Company) whose possession of such information is lawful and who is under no secrecy obligation with respect to the same.
- 3.1. All intellectual property rights, including but not limited to copyright, patents, trademarks, moral rights and industrial design rights in any Confidential Record shall, in the absence of any express provision to the contrary thereon, be vested in the Company.
- 4.1. In the event that it is decided by the Company that the tendered work will be entrusted to another Bidder, or if the tender process is terminated or suspended by the Company for any reason whatsoever, the Bidder shall, upon receipt of a written notification thereof from the Company, return to the Company the Tender Documents as well as any Confidential Record pertaining thereto and delete any electronic record thereof in Bidder's possession.
- 5.1. The Bidder shall ensure that if, under the terms of this Confidentiality Declaration, any of the Confidential Information comes to the knowledge of and/or into the possession of any Third Party, the Bidder shall require from such Third Party that it shall abide by identical stipulations to those contained in this Confidentiality Declaration.
- 5.2. Notwithstanding the above clause 5.1, the Bidder shall at all times remain liable to Company for any breach of the obligations under this Confidentiality Declaration, irrespective of whether or not the disclosure is actually caused by the Bidder or a Third Party to whom the Bidder has disclosed the Confidential Information.
- 6.1 This Confidentiality Declaration shall be governed by and construed in accordance with the Laws of the Sultanate of Oman.
- 6.2 In the event of a dispute arising under or in connection with this Confidentiality Declaration, including with respect to the existence, operation or validity of this Confidentiality Declaration, such dispute shall be resolved by arbitration in accordance with the arbitration proceedings and shall be conducted in the English language and the seat of the arbitration shall be Muscat, Sultanate of Oman.

Yours faithfully for:
Signature & date:
Full Name:
Position:
Stamp of Bidder

STC.250618.SCM.8000481 Page 33 of 47



Annexure – 04 Declaration to Comply with Company Requirement

Whereas M/s	confirm	to	comply	with	company	requirements	as	per	below
checklist:									

Item Description	Required by Company	Supplier Confirmation	Comments
tem Description	(Yes/No)	(Yes/No)	
Compline to Abraj Terms and Conditions	Yes		
Tender Fees	No		
Bidder to Submit Tender Bond as per clause 2.15 of this document	No		
Bidder to Submit Performance Bond as per clause 2.16 of this document	Yes. To be issued as 5% from PO Value		
Bidder to Submit Advance Payment Bank Guarantee (if any advance payment requested)	Yes		
Bidder to submit Omanisation Certificate	Yes		

Failure to comply with the above checklist will result in Bidder being disqualified from the tendering
process.
Agreed and accepted this Day of [Insert year]
For and on behalf of Bidder:

STC.250618.SCM.8000481 Page 34 of 47



Annexure – 05 Form of Tender Bond

Abraj Energy Services (SAOC) Al-Mawaleh, PO Box 1156, PC 130, Azaiba, **Sultanate of Oman**

Tender Bond No
By this bond wewhose address
ishereby guarantee
Messrs
your disposal the sum of R.O.
being1% of the Tender Value from until
This bond shall be free of interest and payable in cash on your first written demand in the event of the Bidder either withdrawing his Tender within a period of (90) calendar days from the date for the receipt of Tenders or failing to provide a Performance Bond within ten (10) working days of acceptance of the Tender whichever date is earlier without any reference to or contestation on behalf of the Contractor.
This bond should be returned to us upon its expiry or upon fulfilment of our undertaking, whichever is the earlier.
Authorized Signatures

STC.250618.SCM.8000481 Page 35 of 47

(To be issued by a locally registered bank)



Annexure – 06 Form of Performance Bond

[LETTERHEAD OF BANK]

Guarantee No. [Insert]
[Date]

[Insert Name] Attention: [Insert] [Insert Address] [Insert Address]

Subject: Bank Guarantee/Performance Bond

Contract No. [Insert] dated [Insert] between Abraj Energy Services and [Insert Name of Contractor]

WHEREAS, [Insert name of Contractor], having its office at
(the "Contractor") and Abraj Energy Services LLC (the
"Company"), have entered into Contract N. [Insert] dated [Insert] (the "Contract") on the condition
that the Contractor provides the Company, upon execution of the Contract, an unconditional,
irrevocable on-demand guarantee by [Insert Name of the Bank], [Insert Address of the Bank]
("Guarantee") in order to guarantee the fulfilment by the Contractor of all of its obligations under the
Contract.

NOW THEREFORE, we, [Insert Name of the Bank], having its registered office at [Insert] (the "Guarantor"), on condition that the Company and the Contractor, in fact, enter into the Contract, do hereby unconditionally and irrevocably undertake and guarantee to pay the Company an amount or amounts up to [Insert amount 5% of the value of the contract], the exact amount or amounts to be solely determined by the Company, immediately upon first written demand by the Company for any such amount or amounts, notwithstanding any objection or contestation by the Contractor.

The Guarantor hereby waives any right it may have to first require the Company to proceed against or enforce any other rights or other guarantee or security with respect to or claim payment from the Contractor before making a demand against or claiming from the Guarantor hereunder. Furthermore, the Guarantor's obligations hereunder shall not be exonerated by the following described actions, circumstances, matter or thing which, but for this provision, might operate to release or otherwise exonerate the Guarantor from its obligations, including without limitation and whether known or not known to the Guarantor or the Company:

- 1. Any amendment, modification, extension, indulgence, time, waiver or concession granted to the Contractor, whether as to payment, time performance, or otherwise, under the Contract;
- 2. Any legal limitation, disability, incapacity or other similar circumstances relating to the Contractor; and/or
- 3. Any unenforceability or invalidity of any of the Contractor's obligations to be performed by it under the Contract.

STC.250618.SCM.8000481 Page 36 of 47



This Guarantee shall be governed by and shall be construed in accordance with the laws of [the Sultanate of Oman], except for the conflict of law principles that would cause the laws of another jurisdiction to apply.

This Guarantee shall be valid from the date first above written and shall remain in full force and effect for [insert date or duration]. Upon expiry of the said [date/duration], the Guarantee shall be null and void without the necessity of it being returned to us.

Yours faithfully, [Insert Name of the Bank],	
Signed by:	
Name:	
Title:	
And Authorized Signatory	

STC.250618.SCM.8000481 Page 37 of 47



Annexure – 07 Form of Advance Payment Bond

Advance Payment Bond No.....

Abraj Energy Services (SAOC) Al-Mawaleh, PO Box 1156, PC 130, Azaiba, Sultanate of Oman

Whereas M/s (Hereinafter called the Contractor) has been awarded a Contract dated for implementation, completion and maintenance of
guarantee to pay you a sum not exceeding R.O (Omani Rials
It is understood that our liability towards you will be progressively reduced by the amount repaid to you by the Contractor as contained in the Certificates and Payment against the said advance payment.
The bond will be effective from and shall be valid until, or until the amount of advance payment is fully recovered, whichever occurs later.
This bond should be returned to us upon its expiry or upon fulfillment of our undertaking whichever is the earlier.
Authorised Signatories (To be issued by a locally registered bank)
Place: Date:

STC.250618.SCM.8000481 Page 38 of 47



Annexure - 08 In Country Value (ICV)

1- Workforce: Number of Omanis Employed

Table A -: WORKFORCE related to execution of this specific contract duration with details of Main/Lead Contractor or Sub-						
Contractor.						

	Workforce Category	Senior Management			Professional			Supervisory			Skilled/Semi Skilled		
		HD	МН	СР	HD	МН	СР	HD	МН	СР	HD	МН	СР
Contracto	Omanis												
r	Expatriate												
		-	_										
Sub-	Omanis												
Contracto	Expatriate												

2- Use of Local Goods/Services

Bidder must provide details in the format below showing local goods/services proposed to be utilized in the performance of the Services. If none: Bidder shall so state.

a- Goods Made-in-Oman

#	Goods Description	Manufacturer /Provider	Address	Quantity	% of total quantity sourced from local manufacturer	Total value of local manufactured goods
1						
2						
3						

STC.250618.SCM.8000481 Page 39 of 47



b- Goods Procured in Oman

#	Goods Description	Location of International Manufacturer	Local Supplier Address	Quantity	% of total Contract quantity to be local supply	Total value of local manufactured goods
1						
2						
3						

	Summary of Tables A & B	
Total Value of Goods Made in Oman (OMR / USD)	Total Value of Goods Procured in Oman (OMR / USD)	Total Value of Goods Procured from Overseas (OMR / USD)
\$0	\$0	\$0

c- Local Services Obtained in Oman

#	Type of Service	Proposed Subcontractor Address	Value added	% of total Contract value
1				
2				
3				
4				

Summary of Tables C				
Total Value of Local Sourcing (USD / OMR)	Total Value of Overseas Sourcing (OMR / USD)			
\$0	\$0			

STC.250618.SCM.8000481 Page 40 of 47



ICV Terminologies/Definitions

Table B - Work Force

<u>HD stands for Headcount:</u> "Headcount" means the number of full-time equivalent employees or in-house Contractors/agency staff within the Contractor or 3rd Party Sub-Contractor who will be involved in execution of the Contract.

<u>MH stands for Man-hours</u>: "Man-hours" means the number of hours of work undertaken in execution of the Contract (only the actual hours written, or to be written, to Contract execution are included).

The method of calculation and reporting is as follows;

MH= Contract Duration x number of headcount of that category

For example, contract awarded for a period of 4 years, with 2 professional resources working full time on the execution of the contract:

4 years x 12 months x 30 days x 8 hours x 2 professionals = 23,040 Manhours

<u>CP stands for Compensation:</u> "Compensation" means the sum of Man hours multiplied by an average all-inclusive average hourly rate. Average hourly rate calculated from Gross Salaries pro rated.

The currency shall be in USD.

For example, contract listed the 2 headcount Professional as Drilling Engineer and Chemical Engineer with a monthly salary of \$2,000 and \$1,800 respectively. The total monthly salary shall be inclusive of PASI and other permanent allowances such Housing and Transport allowance.

The formula to calculate the average hourly compensation rate will be as follows:

Drilling Engineer Monthly salary divided by man-hours working per month: 2000 USD / (22 days x 8 hours)= 11.4 USD as hourly rate

Chemical Engineer Monthly salary divided by man-hours working per month: 1,800 USD / (30 days x 8 hours)= 7.5 USD as hourly rate

Total hourly rate for both resources = 11.4+7.5= 18.9

Average hourly rate for both resources =18.9/2= 9.5

The compensation per hour as calculated above to be included shall 9.5 USD/hour

JOB POSITIONS

- 6. "Senior Management" means a member of the decision-making executive of a function within Contractor or sub-Contractor Company. -CEO and all managers titles who reported to CEO.HR Mangers , Admin manager , finance manager , project manager .etc..
- <u>7."Professional"</u> means an individual who has completed bachelor degree related tertiary education and achieved professional certifications status within a professional body. Includes chartered engineers and accountants, lawyers, architects, procurement professionals and Engineer.
- **8."Supervisory"** means a worker who manages a team of at least two subordinates (but who is not considered part of the Senior Management team, nor a Professional). Supervisors include construction foreman, equipment overseers, business administration team leaders etc.
- <u>9."Skilled"</u> means a worker with a high level of technical expertise accumulated over a number of years (but not a member of a recognised 'profession'). A skilled worker may have attended a Technical College or learned their skill via a formal apprenticeship or on-the-job over a number of years. Includes: electricians, scaffolders, welders, crafts, business admin, personnel assistants, computer programmers, equipment and machinery operators.
- 10.""Semi-skilled" means workers with a skill set acquired in a short space of time (a few weeks or months). Following short periods of training a casual labor may become semi-skilled, thus demonstrating how the Contract has contributed to human capacity in Oman. Semi-skilled positions include secretaries, drivers, meet and greet services, fencing, block laying, basic construction skills etc.

STC.250618.SCM.8000481 Page 41 of 47



Annexure – 09 Clarification Request

Tender Reference: STC.250618.SCM.8000481, Rate Agreement for Long Rigs Move with Accessories

1	Question Received XX/XX/XXXX
	Article X.X.X
	Company Response Dated XX/XX/XXXX
2	Question Received XX/XX/XXXX
	Article X.X.X
	Company Response Dated XX/XX/XXXX
3	Question Received XX/XX/XXXX
	Article X.X.X
	Company Response Dated XX/XX/XXXX
4	Question Received XX/XX/XXXX
	Article X.X.X
	Company Response Dated XX/XX/XXXX

STC.250618.SCM.8000481 Page 42 of 47



Annexure – 10 Pricing Schedule

Contract Period	3 years + 2 year optional
Delivery Period	
Delivery Term	
Payment Term	
Bid Validity	90 days

- Commercial Template as below:

Description	Unit	Total Expected Move/ Year	Unit Cost (OMR)
Rig Move 1000 HP W			
RIG MOVE 101 TO 150 KMS	JOB	1	
RIG MOVE 151 TO 200 KMS	JOB	1	
RIG MOVE 200 TO 250 KMS	JOB	1	
RIG MOVE 251 TO 300 KMS	JOB	1	
RIG MOVE 301 TO 400 KMS	JOB	1	
RIG MOVE 401 TO 600 KMS	JOB	1	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1	
Rig Move 1000 HP Wit	hout Di	smantling	
RIG MOVE 101 TO 150 KMS	JOB	1	
RIG MOVE 151 TO 200 KMS	JOB	1	
RIG MOVE 200 TO 250 KMS	JOB	1	
RIG MOVE 251 TO 300 KMS	JOB	1	
RIG MOVE 301 TO 400 KMS	JOB	1	
RIG MOVE 401 TO 600 KMS	JOB	1	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1	
Rig Move 1500/1800 HP	With D	Dismantling	
RIG MOVE 101 TO 150 KMS	JOB	1	
RIG MOVE 151 TO 200 KMS	JOB	1	
RIG MOVE 200 TO 250 KMS	JOB	1	
RIG MOVE 251 TO 300 KMS	JOB	1	
RIG MOVE 301 TO 400 KMS	JOB	1	
RIG MOVE 401 TO 600 KMS	JOB	1	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12	
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1	
Rig Move 1500/1800 HP V	Vithout	Dismantling	
RIG MOVE 101 TO 150 KMS	JOB	1	
RIG MOVE 151 TO 200 KMS	JOB	1	
RIG MOVE 200 TO 250 KMS	JOB	1	
RIG MOVE 251 TO 300 KMS	JOB	1	
RIG MOVE 301 TO 400 KMS	JOB	1	
RIG MOVE 401 TO 600 KMS	JOB	1	

STC.250618.SCM.8000481 Page 43 of 47



TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1		
Rig Move 2000 HP W				
RIG MOVE 101 TO 150 KMS	JOB	1		
RIG MOVE 151 TO 200 KMS	JOB	1		
RIG MOVE 200 TO 250 KMS	JOB	1		
RIG MOVE 251 TO 300 KMS	JOB	1		
RIG MOVE 301 TO 400 KMS	JOB	1		
RIG MOVE 401 TO 600 KMS	JOB	1		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1		
Rig Move 2000 HP With	hout Di	smantling		
RIG MOVE 101 TO 150 KMS	JOB	1		
RIG MOVE 151 TO 200 KMS	JOB	1		
RIG MOVE 200 TO 250 KMS	JOB	1		
RIG MOVE 251 TO 300 KMS	JOB	1		
RIG MOVE 301 TO 400 KMS	JOB	1		
RIG MOVE 401 TO 600 KMS	JOB	1		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	HR	12		
TWILIGHT CHARGES FOR INFIELD RIG MOVE	JOB	1		
Camp Move With	Dismar	ntling		
Camp MOVE 101 TO 150 KMS	JOB	1		
Camp MOVE 151 TO 200 KMS	JOB	1		
Camp MOVE 200 TO 250 KMS	JOB	1		
Camp MOVE 251 TO 300 KMS	JOB	1		
Camp MOVE 301 TO 400 KMS	JOB	1		
Camp MOVE 401 TO 600 KMS	JOB	1		
Camp Move Withou	Camp Move Without Dismantling			
Camp MOVE 101 TO 150 KMS	JOB	1		
Camp MOVE 151 TO 200 KMS	JOB	1		
Camp MOVE 200 TO 250 KMS	JOB	1		
Camp MOVE 251 TO 300 KMS		1		
Camp MOVE 301 TO 400 KMS	JOB	1		
Camp MOVE 401 TO 600 KMS	JOB	1		

STC.250618.SCM.8000481 Page 44 of 47



Annexure - 11 Tender Strategy for Evaluation of bid

Abraj Management had followed the tendering strategy as per the tender procedure which forms part of the Abraj Tender Policies and Procurement (ATPP).

The process followed was the following:-

- 1. Tender for purchase of equipment and materials or availing of Services and includes Purchase Order, Service Order or other arrangement will sent seeking Technical and commercial bids in a two separate sealed envelopes which are submitted in a sealed envelope or electronic mode.
- 2. The technical bids will evaluated as per the evaluation process defined below. We have tender opening protocol duly signed by the authorized persons as per ATPP.
- 3. The Commercial bids will opened for the technical qualified bidders only.
- 4. The Commercial bids will be reviewed and evaluated. The best offer will be awarded the Contract after evaluation and approval from Abraj Management Team.
- 5. Letter of Intent (LOI) has been issued to the successful bidder followed by execution of Contract wherever required.

Process for Evaluation of bid

The Technical Evaluation Process for the different types of bids will be carried out in the following steps:

- 1. Opening of the Technical Bids.
- 2. Analysis of the Technical Bids.
- 3. Gather all missing information from the technical bids.
- 4. Sending clarifications to those bidders who have not been disqualified initially.
- 5. Receive clarifications.
- 6. Set weightage for scoring based on importance of each evaluation criteria.
- 7. Evaluate data and score.
- 8. Finalize Technical Evaluation.
- 9. Minimum Technical Score to be obtained is 70 % to be Eligible for getting qualified for Commercial Bid Evaluation. For bidders who are technically disqualified, their commercial bid will not be opened.
- 10. Whoever is technically qualified, all are treated at par for commercial evaluation and L-1 bidder would be awarded the contract.

STC.250618.SCM.8000481 Page 45 of 47



11. The Company reserves the right to award the contract in the best interest of the company to any bidder other than L-1 without assigning any reason whatsoever.

Technical Methodology

At first, Bidders shall be evaluated on technical proposals in accordance with Evaluation Criteria as described in the Tender Document.

Each of technical proposals shall be evaluated on the basis of the Bidder's degree of compliance, with requirements as specified in the Tender Document including the Specifications. Bidder who achieves the Technical evaluation threshold will be evaluated commercially.

The evaluation shall consist of

Technical Proposal Evaluation

1. Compliance & Evaluation Criteria

Compliance Criteria:

Criteria	Yes/No
The contractor shall fully comply with all requirements specified in the Scope of Work. Any deviations must be clearly justified.	
The contractor shall be responsible for any damage during loading, Offloading and transportation, and any delays caused due to their operations.	
The contractor shall submit a comprehensive road survey before mobilization to assess the route and identify any potential obstacles or risks.	
The contractor shall adhere to Abraj's Health, Safety, and Environmental (HSE) and Quality standards. Evidence of past compliance or certifications must be provided.	
The contractor shall submit a detailed asset list, including trucks, trailers, and any supporting equipment, to ensure adequate resources for execution.	
The contractor shall Commitment from vendor to continuously working in summer without stoppage (Summer mitigations to be provided by moving company.	

Technical Criteria:

Criteria	%
Experience and Track Record in Similar Rig Moves	20
Working Time Commitment	20
Manpower Experience – Key Personnel (Operations Manager, Supervisor, and Crew for Fast-Moving Rigs)	20
Response and Replacement Time for Truck Failures	20
Contractor Performance on Similar Rig Moves	20

STC.250618.SCM.8000481 Page 46 of 47



Annexure – 12 Standard Terms and Conditions

Annexure - 13 In Country Value

STC.250618.SCM.8000481 Page 47 of 47